

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Erodur Folie 2,5 mm 120mm, klar, einzeln in Alubeutel
Article no.: No. 98042

Revised on: 15.05.2023
Version: 4.0 Replaced version: 3.0



| SECTION 1: Identification of the substance or mixture and of the company/undertaking | | |
|--|---|--|
| 1.1 | Product identifier | Erodur Folie 2,5 mm 120mm, klar, einzeln in Alubeutel Article no.: 98042 |
| 1.2 | Relevant identified uses of the substance or mixture and uses which are not recommended | |
| 1.2.1 | Relevant uses medical device: | Production of dental thermoforming trays |
| 1.2.2 | Uses that are not recommended: | None known |
| 1.3 | Details of the supplier providing the safety data sheet | Dr. Hinz Dental Vertriebsgesellschaft mbH & Co. KG Friedrich der Große 64 44628 Herne GERMANY Phone: + 49 (0) 23 23 / 59 34 20 Fax : + 49 (0) 23 23 / 59 34 29 E-Mail: qm@dhug.de |
| 1.4 | Emergency number | Contact: Dr. P. Hinz Phone: + 49 17 51 83 41 34 |

| SECTION 2: Possible dangers | | |
|-----------------------------|--|--|
| 2.1 | Classification of the substance or mixture This substance does not meet the criteria for classification according to Regulation No. 1272/2008/EC. | |
| 2.1.1 | Classification according to (EC) Regulation 1272/2008 as amended. not required | |
| 2.2 | Labelling elements Additional information: | No additional information is available. |
| 2.3 | Other dangers | The substance is not classified as hazardous according to Regulation (EC) No 1272/2008 [CLP]. The substance is classified as not dangerous according to 67/548/EEC |

| SECTION 3: Composition / Information on ingredients | | |
|---|---------------------------|--|
| 3.1 | Chemical characterisation | Polymere |
| 3.1.1 | Dangerous ingredients | Polyethylene terephthalate PET-G CAS No.: 25640-14-6 Concentration: 95 - 100 (For wording of H and EUH phrases: see section 16. |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Erodur Folie 2,5 mm 120mm, klar, einzeln in Alubeutel
Article no.: No. 98042

Revised on: 15.05.2023
Version: 4.0 Replaced version: 3.0



Section 4: First aid measures

| Section 4: First aid measures | | |
|-------------------------------|---|---|
| 4.1 | Description of the first aid measures | |
| | General notes | No special measures are required |
| | Inhalation: | Do not inhale dust. Dust should be extracted directly at the point of origin. at the point of origin. Inhalation of dust may cause irritation of the respiratory tract. may occur. |
| | Eye contact: | Consult an ophthalmologist if symptoms occur or persist. Dust protection goggles |
| | Skin contact: | No special measures are required. After contact with the cool affected skin area quickly with water. Cool under cool under cold water for a longer time. Burns caused by melted material must be treated clinically |
| | Ingestion: | No special measures are required. |
| 4.2 | Most important symptoms and effects, both acute and delayed: | There is no information available |
| 4.3 | Indications for immediate medical help or special treatment | |
| | Dangers: | There is no information available |
| | Treatment: | There is no information available |

SECTION 5: Fire-fighting measures

| | | |
|-----|---|--|
| 5.1 | General fire hazards | Use water spray to protect persons and to cool containers in the danger zone. |
| | Extinguishing agent Suitable extinguishing media | Extinguishing powder. Carbon dioxide. alcohol-resistant foam. Water mist. |
| | Unsuitable extinguishing media: | Water in full jet |
| 5.2 | Special hazards arising from the substance or mixture: | In case of fire: Use self-contained breathing apparatus. Protective clothing. |
| 5.3 | Advice for firefighters Advice for firefighters: | Use water spray to protect personnel and to cool containers in the hazardous area. |
| | Special protective equipment for fire fighting: | In case of fire: Use self-contained breathing apparatus. Protective clothing. |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Erodur Folie 2,5 mm 120mm, klar, einzeln in Alubeutel
Article no.: No. 98042

Revised on: 15.05.2023
Version: 4.0 Replaced version: 3.0



SECTION 6: Accidental release measures

| | | |
|-----|---|--|
| 6.1 | Personal precautions, protective equipment and emergency procedures: | No special measures are required. |
| 6.2 | Environmental protection measures: | Do not allow to enter drains or water courses. Do not allow to enter subsoil/soil. |
| 6.3 | Methods and material for retention and cleaning: | Pick up mechanically and place in suitable containers for disposal. |
| 6.4 | Reference to other sections: | Handle the ingested material according to the Disposal section. |

Section 7: Handling and storage:

| | | |
|-----|---|--|
| 7.1 | Protective measures for safe handling: | Avoid dust formation. Dust must be extracted safely directly at the place of origin. Keep away from sources of ignition - Do not smoke. Protect from heat. |
| | Notes on fire and explosion protection: | Keep container dry and tightly closed. |
| 7.2 | Conditions for safe storage taking into account incompatibilities: | Conditions to avoid: UV radiation/sunlight. |
| | Storage stability: | Conditions to avoid: UV radiation/sunlight. |
| | Storage class: | LGK: 11 (combustible solids) |
| 7.3 | Specific end uses: | Instructions for use note. |

SECTION 8: Exposure controls/personal protective equipment

| | | |
|-----|--|---|
| 8.1 | Parameters to be monitored Occupational exposure limit values | none |
| | Biological limit values | none |
| 8.2 | Exposure controls Suitable engineering controls: | none |
| | Individual protective measures, for example personal protective equipment | |
| | General information: | Do not eat, drink, smoke, snort in the workplace. |
| | Eye/face protection: | Dust goggles.. |
| | Skin protection Hand protection: | See chapter 7. No further measures are required. |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Erodur Folie 2,5 mm 120mm, klar, einzeln in Alubeutel
Article no.: No. 98042

Revised on: 15.05.2023
Version: 4.0 Replaced version: 3.0



| | |
|---|---|
| Other: | Minimum standards for protective measures when handling working substances are listed in the TRGS 500 listed. Dust goggles. |
| Respiratory protection: | Respiratory protection is not required when used properly and under normal conditions. Technical ventilation of the workplace. |
| Hygiene measures: | Wash hands before breaks and at the end of work. wash. Immediately remove soiled, soaked clothing. |
| Limitation and monitoring of environmental exposure: | see Chapter 7. No measures beyond these are required. |

SECTION 9: Physical and chemical properties

| 9.1 | Information on the basic physical and chemical properties | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|-----------|-------|----------------------|-------|--------|-------------|-------|----------------|------------------------------|-------------|--|----------------|--------------|----------------|--|----------------|-------------|---------|----------------------|--------|---------------------------|----------|----------|-----------------|---------------------|----------------|------------|-----------------------------|---|----------------|-----------------|-----------------|---------------------------------|----------------|-------------------------|-----------|---------------------|----------------|
| | <table border="1"><thead><tr><th>Parameter</th><th>Value</th></tr></thead><tbody><tr><td>State of aggregation</td><td>Fixed</td></tr><tr><td>Colour</td><td>Transparent</td></tr><tr><td>Smell</td><td>characteristic</td></tr><tr><td>Melting point/freezing point</td><td>Vicat 80 °C</td></tr><tr><td>Boiling point or initial boiling point and boiling range</td><td>not determined</td></tr><tr><td>Flammability</td><td>not determined</td></tr><tr><td>Lower explosion limit upper explosion limit</td><td>not explosive.</td></tr><tr><td>Flash point</td><td>>250 °C</td></tr><tr><td>Ignition temperature</td><td>400 °C</td></tr><tr><td>Decomposition temperature</td><td>> 280 °C</td></tr><tr><td>pH value</td><td>not applicable.</td></tr><tr><td>Kinematic viscosity</td><td>not determined</td></tr><tr><td>Solubility</td><td>Water solubility: insoluble</td></tr><tr><td>Partition coefficient n-octanol/water (log value)</td><td>not determined</td></tr><tr><td>Vapour pressure</td><td>not applicable.</td></tr><tr><td>Density and/or specific gravity</td><td>not determined</td></tr><tr><td>Relative vapour density</td><td>1,27 g/cm</td></tr><tr><td>Particle properties</td><td>not determined</td></tr></tbody></table> | Parameter | Value | State of aggregation | Fixed | Colour | Transparent | Smell | characteristic | Melting point/freezing point | Vicat 80 °C | Boiling point or initial boiling point and boiling range | not determined | Flammability | not determined | Lower explosion limit upper explosion limit | not explosive. | Flash point | >250 °C | Ignition temperature | 400 °C | Decomposition temperature | > 280 °C | pH value | not applicable. | Kinematic viscosity | not determined | Solubility | Water solubility: insoluble | Partition coefficient n-octanol/water (log value) | not determined | Vapour pressure | not applicable. | Density and/or specific gravity | not determined | Relative vapour density | 1,27 g/cm | Particle properties | not determined |
| Parameter | Value | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| State of aggregation | Fixed | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Colour | Transparent | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Smell | characteristic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Melting point/freezing point | Vicat 80 °C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Boiling point or initial boiling point and boiling range | not determined | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Flammability | not determined | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lower explosion limit upper explosion limit | not explosive. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Flash point | >250 °C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ignition temperature | 400 °C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Decomposition temperature | > 280 °C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| pH value | not applicable. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kinematic viscosity | not determined | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Solubility | Water solubility: insoluble | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Partition coefficient n-octanol/water (log value) | not determined | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Vapour pressure | not applicable. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Density and/or specific gravity | not determined | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Relative vapour density | 1,27 g/cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Particle properties | not determined | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 9.2. | Other information none | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

SECTION 10: Stability and reactivity

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Erodur Folie 2,5 mm 120mm, klar, einzeln in Alubeutel
Article no.: No. 98042

Revised on: 15.05.2023
Version: 4.0 Replaced version: 3.0



| | | |
|------|---|--|
| 10.1 | Reactivity | No hazardous reactions will occur if handled and stored as directed. |
| 10.2 | Chemical stability | Reacts with : solvents/thinners pickles and acids |
| 10.3 | Possibility of hazardous reactions | No data available |
| 10.4 | Conditions to avoid | UV irradiation/sunlight. |
| 10.5 | Incompatible materials | Acid. Base. Oxidizing agent |
| 10.6 | Decomposition products | Hydrocarbons. Carbon dioxide (CO ₂) Carbon monoxide. Aldehydes |

SECTION 11: Toxicological data

| | | |
|--------|---|---|
| 11.1 | Information on hazard classes within the meaning of Regulation (EC) No 1272/2008 | |
| | acute toxicity | There is no information available. |
| | Corrosive/irritant effect on the skin | When dust is generated |
| | Serious eye damage/irritation | Irritating to eyes. In case of dust formatio |
| | Sensitisation of the respiratory tract/skin | Toxicological data are not available. |
| | Germ cell mutagenicity | No evidence of germ cell mutagenicity in humans available. |
| | Carcinogenicity | No evidence of carcinogenicity in humans available |
| | Reproductive toxicity | Toxicological data are not available. |
| | Specific target organ toxicity at single exposure | There is no information available. |
| | Specific target organ toxicity in case of repeated exposure | There is no information available. |
| | Aspiration hazard | Irritation of the respiratory tract may occur after inhalation of dust. |
| 11.2 | Information on other hazards | There is no information available. |
| 11.2.1 | Endocrine disrupting properties | There is no information available. |
| 11.2.2 | Other information | There is no information available. |

SECTION 12. Environmental information

| | | |
|------|--------------------------------------|------------------------------------|
| 12.1 | Toxicity | none |
| 12.2 | Persistence and degradability | There is no information available. |
| 12.3 | Bioaccumulative potential | There is no information available. |
| 12.4 | Mobility in soil | There is no information available. |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Erodur Folie 2,5 mm 120mm, klar, einzeln in Alubeutel
Article no.: No. 98042

Revised on: 15.05.2023
Version: 4.0 Replaced version: 3.0



| | | |
|------|---|------------------------------------|
| 12.5 | Results of the PBT and vPvB assessment | not applicable. |
| 12.6 | Endocrine disrupting properties | There is no information available. |
| 12.7 | Other adverse effects | There is no information available. |

SECTION 13: Disposal instructions

| | | |
|------|--------------------------------|--|
| 13.1 | Waste treatment process | |
| | General information | Can be incinerated together with household waste in compliance with the regulations after consultation with the disposer and the responsible Can be incinerated together with household waste. Proper disposal of the packaging: Disposal in accordance with the Closed Substance Cycle and Waste Management Act (KrW-/AbfG). |
| | Disposal methods | Proposal for waste codes/waste designations according to the Waste Catalogue Ordinance (AVV). Disposal in accordance with the Closed Substance Cycle and Waste Management Act (KrW-/AbfG). Waste code product: 20 01 39 - Plastics Waste code packaging: 15 01 01 - Paper and cardboard packaging |

SECTION 14: Transport information

| | | |
|------|--|-----------------|
| 14.1 | ADR | not applicable |
| 14.2 | ADN | not applicable |
| 14.3 | RID | not applicable |
| 14.4 | IMDG | not applicable |
| 14.5 | IATA | not applicable |
| 14.6 | Special precautions for the user: | Not applicable. |
| 14.7 | Carriage in bulk in accordance with Annex II of the MARPOL Convention and the IBC Code: | Not applicable. |

SECTION 15: Legislation

| | | |
|------|--|------|
| 15.1 | Safety, health and environmental regulations/specific legislation for the substance or mixture: | |
| | EU regulations | |
| | Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled substances: | none |
| | Regulation (EU) 2019/1021 on persistent organic pollutants (new edition), as amended: | none |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Erodur Folie 2,5 mm 120mm, klar, einzeln in Alubeutel
Article no.: No. 98042

Revised on: 15.05.2023
 Version: 4.0 Replaced version: 3.0



| | | |
|-------------|--|--|
| | Regulation (EC) No 649/2012 on the export and import of dangerous chemicals: | none |
| | Regulation (EC) No 1907/2006, REACH Annex XIV List of substances subject to authorisation, as amended: | none |
| | EU. REACH Candidate List of Substances of Very High Concern (SVHC) for authorisation: | none |
| | Regulation (EC) No 1907/2006 Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles : | none |
| | Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work...: | none |
| | Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding: | none |
| | Directive 2012/18/EU (Seveso III) on the control of major-accident hazards involving dangerous substances: | none |
| | REGULATION (EC) No 166/2006 concerning the establishment of a European Pollutant Release and Transfer Register, ANNEX II: Pollutants | none |
| | Directive 98/24/EU on the protection of workers from the risks related to chemical agents at work: | none |
| | National regulations | |
| | Water hazard class | 0 not hazardous to water |
| | Reference to Technical Rules for Hazardous Substances (TRGS) | none |
| | VOC Directive (1999/13/EC) and the Decopaint Directive (2004/42/EC) | none |
| | Other regulations | none |
| 15.2 | Chemical safety assessment | A chemical safety assessment has not been carried out. |

SECTION 16: Other information

| | | |
|-------------|--|--|
| 16.1 | Information on the revision | Not relevant. |
| | Important literature references and data sources: | <p>Abbreviations and acronyms :AC: Article Category</p> <p>ACGIH: Council on Occupational Safety and Health and Hazardous Materials, America (American Conference of Government Industrial Hygienists)</p> <p>ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways</p> |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Erodur Folie 2,5 mm 120mm, klar, einzeln in Alubeutel
Article no.: No. 98042

Revised on: 15.05.2023
Version: 4.0 Replaced version: 3.0



| | |
|--|---|
| | <p>Inland Waters (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)</p> <p>ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road</p> <p>(Accord européen relatif transport des marchandises dangereuses par route)</p> <p>AGW: Occupational exposure limit</p> <p>AOX: Adsorbable organically bound halogen compounds</p> <p>Bw: Body weight</p> <p>CMR: Substances classified as carcinogenic, mutagenic or toxic for reproduction, Mutagenic, toxic for Reproduction)</p> <p>CSR: Chemical Safety Report</p> <p>DIN: German Institute for Standardization / German Industrial Standard</p> <p>DNEL: Derived No Effect Level below which the substance exerts no effect</p> <p>DPD: Dangerous Preparations Directive (1999-45-EC)</p> <p>DSD: Substance Directive / Directive 67-548-EC (Dangerous Substances Directive)</p> <p>DU: Downstream user</p> <p>EC50: Effective Concentration 50%: Effective Concentration 50%.</p> <p>ECHA: European Chemicals Agency</p> <p>EN: European Standard</p> <p>EWC/EWL: European Waste Catalogue</p> <p>IATA: International Air Transport Association</p> <p>IBC: Intermediate Bulk Container</p> <p>ICAO: International Civil Aviation Organization</p> <p>IMDG Code: Dangerous goods regulations for international maritime transport (International Maritime Dangerous</p> |
|--|---|

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Erodur Folie 2,5 mm 120mm, klar, einzeln in Alubeutel
Article no.: No. 98042

Revised on: 15.05.2023
Version: 4.0 Replaced version: 3.0



| | | |
|--|------------------------------|---|
| | | <p>Goods Code)</p> <p>IMO: International Maritime Organization</p> <p>ISO: International Standards Organization</p> <p>LC50: Lethal concentration 50%.</p> <p>LD50: Lethal dose 50%.</p> <p>LEV: Local exhaust ventilation</p> <p>MAK: Maximum workplace concentration - DFG</p> <p>n.a.: not applicable</p> <p>n.b.: not determined</p> <p>OEL: Occupational Exposure Limit</p> <p>PBT: persistent, bioaccumulative, toxic</p> <p>PNEC: Predicted No Effect Concentration</p> <p>PPE/PSA: Personal Protective Equipment</p> <p>REACH: Registration, Evaluation and Authorization of Chemicals. Authorization of Chemicals)</p> <p>RID: Dangerous Goods Regulations for Transport by Rail (Règlement International concernant le transport de marchandises dangereuses par chemin de fer)</p> <p>STEL: Short-term Exposure Limit (STEL)</p> <p>SVHC: Substance of Very High Concern</p> <p>TLV: Threshold Limit Value (occupational exposure limit)</p> <p>VOC: Volatile Organic Compounds</p> <p>vPvB: Very Persistent, Very Bioaccumulative</p> |
| | Training information: | There are no data available. |
| | Disclaimer: | More information To the best of our knowledge, the information in this safety data sheet corresponds to our knowledge at the time of revision. The information is intended to provide guidance on the safe handling of the product specified in this safety data sheet during storage, processing, transportation and disposal. The |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Erodur Folie 2,5 mm 120mm, klar, einzeln in Alubeutel
Article no.: No. 98042

Revised on: 15.05.2023

Version: 4.0 Replaced version: 3.0



information is not transferable to other products. Insofar as the product named in this safety data sheet is mixed, blended or processed with other materials, or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material thus produced, unless expressly stated otherwise.

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

IST@classic telescopes normal (HF9), 1 pair

Article no.: No. 98029

Revised on: 15.05.2023

Version: 4.0 Replaced version:3.0



SECTION 1: Identification of the substance or mixture and of the company/undertaking

| | | |
|-------|--|--|
| 1.1 | Product identifier | IST@classic telescopes normal (HF9), 1 pair Article no.:98029 |
| 1.2 | Relevant identified uses of the substance or mixture and uses which are not recommended | |
| 1.2.1 | Relevant uses medical device: | Fastening parts for thermoforming rails |
| 1.2.2 | Uses that are not recommended: | None known |
| 1.3 | Details of the supplier providing the safety data sheet | Dr. Hinz Dental Vertriebsgesellschaft mbH & Co. KG Friedrich der Große 64 44628 Herne GERMANY Phone: + 49 (0) 23 23 / 59 34 20 Fax : + 49 (0) 23 23 / 59 34 29 E-Mail: qm@dhug.de |
| 1.4 | Emergency number | Contact: Dr. P. Hinz Phone: + 49 17 51 83 41 34 |

SECTION 2: Possible dangers

| | | |
|-------|---|----------------------------------|
| 2.1 | Classification of the substance or mixture According to EC directives not subject to labeling for handling. | |
| 2.1.1 | Classification according to (EC) Regulation 1272/2008 as amended. Not classified | |
| 2.2 | Labelling elements Additional information: | Not applicable No data available |
| 2.3 | Other dangers | There are no data available |

SECTION 3: Composition / Information on ingredients

| | | | | | |
|-------|----------------------------------|--------------------------------------|---------------|-----------------|----------|
| 3.1 | Chemical characterisation | Chrome-nickel/steel, material 1.4305 | | | |
| 3.1.1 | Dangerous ingredients | Not subject to declaration | | | |
| | | Artikel | Deutsch | English | Material |
| | | 98029 | Teleskop HF 9 | Telescopes HF 9 | A, B, C |
| | | 98029 | Teleskop HF 9 | Telescopes HF 9 | A, B |
| | | | | | |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

IST@classic telescopes normal (HF9), 1 pair

Article no.: No. 98029

Revised on: 15.05.2023

Version: 4.0 Replaced version:3.0



| | | | | | | | | |
|----------|------------------------------------|-----------|----------------|------------------|--------------|-------------|------------|--------------------|
| | | 98030 | Teleskop HF 15 | Telescopes HF 15 | A, B, C | | | |
| | | 98030 | Teleskop HF 15 | Telescopes HF 15 | A, B | | | |
| Material | | | | | | | | |
| A | Edelstahl / Stainless Steel 1.4301 | | | | | | | |
| | C % | Si % | Mn % | P % | S % | Cr % | Ni % | Sonstige / Others |
| | ≤0,07 | ≤ 1,0 | ≤2,0 | ≤ 0,045 | ≤0,030 | 17,5 – 19,5 | 8,0 – 10,5 | N ≤ 0,11 |
| B | Edelstahl / Stainless Steel 1.4305 | | | | | | | |
| | C % | Si % | Mn % | P % | S % | Cr % | Ni % | Sonstige / Others |
| | ≤ 0,10 | ≤ 1,0 | ≤ 2,0 | ≤0,045 | ≤0,15 – 0,35 | 17,0 – 19,0 | 8,0 – 10,0 | Cu ≤ 1,0; N ≤ 0,11 |
| Material | Deutsch | English | | | | | | |
| C | Polyamid | Polyamide | | | | | | |

Section 4: First aid measures

| | | |
|-----|---|---|
| 4.1 | Description of the first aid measures | |
| | General notes | No action should be taken that involves personal risk or has not been adequately trained. |
| | Inhalation: | No special measures required |
| | Eye contact: | No special measures required |
| | Skin contact: | No special measures required |
| | Ingestion: | No special measures required |
| 4.2 | Most important symptoms and effects, both acute and delayed: | No special measures required |
| 4.3 | Indications for immediate medical help or special treatment | |
| | Dangers: | This product is not expected to be harmful under normal use and proper personal hygiene. |
| | Treatment: | Do NOT induce vomiting if swallowed. Administer a glass of water. |

SECTION 5: Fire-fighting measures

| | | |
|-----|---|----------------|
| 5.1 | General fire hazards | Not applicable |
| | Extinguishing agent Suitable extinguishing media | Not applicable |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

IST@classic telescopes normal (HF9), 1 pair

Article no.: No. 98029

Revised on: 15.05.2023

Version: 4.0 Replaced version:3.0



| | | |
|-----|---|----------------|
| | Unsuitable extinguishing media: | Not applicable |
| 5.2 | Special hazards arising from the substance or mixture: | Not applicable |
| 5.3 | Advice for firefighters Advice for firefighters: | Not applicable |
| | Special protective equipment for fire fighting: | Not applicable |

SECTION 6: Accidental release measures

| | | |
|-----|---|----------------|
| 6.1 | Personal precautions, protective equipment and emergency procedures: | Not applicable |
| 6.2 | Environmental protection measures: | Not applicable |
| 6.3 | Methods and material for retention and cleaning: | Not applicable |
| 6.4 | Reference to other sections: | Not applicable |

Section 7: Handling and storage:

| | | |
|-----|---|------------------------------|
| 7.1 | Protective measures for safe handling: | No special measures required |
| | Notes on fire and explosion protection: | No special measures required |
| 7.2 | Conditions for safe storage taking into account incompatibilities: | No special measures required |
| | Storage stability: | No special measures required |
| | Storage class: | No special measures required |
| 7.3 | Specific end uses: | No special measures required |

SECTION 8: Exposure controls/personal protective equipment

| | | |
|-----|--|----------------|
| 8.1 | Parameters to be monitored Occupational exposure limit values | not required |
| | Biological limit values | Not applicable |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

IST@classic telescopes normal (HF9), 1 pair

Article no.: No. 98029

Revised on: 15.05.2023

Version: 4.0 Replaced version:3.0



| | | |
|---|--|--------------|
| 8.2 | Exposure controls Suitable engineering controls: | not required |
| | Individual protective measures, for example personal protective equipment | |
| | General information: | not required |
| | Eye/face protection: | not required |
| | Skin protection | not required |
| | Hand protection: | not required |
| | Other: | not required |
| | Respiratory protection: | not required |
| | Hygiene measures: | not required |
| Limitation and monitoring of environmental exposure: | not required | |

SECTION 9: Physical and chemical properties

| | | |
|-------------------------|---|--|
| 9.1 | Information on the basic physical and chemical properties | |
| | Parameter | Wert |
| | State of aggregation | Solid material |
| | Colour | silver gray, metallic |
| | Smell | odorless |
| | Melting point/freezing point | 1400-1550 °C (depending on steel grade) |
| | Boiling point or initial boiling point and boiling range | There are no data available. |
| | Flammability | There are no data available. |
| | Lower explosion limit upper explosion limit | There are no data available. |
| | Flash point | There are no data available. |
| | Ignition temperature | There are no data available. |
| | Decomposition temperature | inapplicable |
| | pH value | inapplicable |
| | Kinematic viscosity | There are no data available. |
| | Solubility | Non soluble |
| | Partition coefficient n-octanol/water (log value) | There are no data available. |
| | Vapour pressure | There are no data available. |
| | Density and/or specific gravity | 7.7 - 8.1 g / cm ³ (depending on steel grade)none |
| Relative vapour density | There are no data available. | |
| Particle properties | There are no data available. | |
| 9.2. | Other information Bulk density: approx. 0.600 g/cm ³ | |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

IST@classic telescopes normal (HF9), 1 pair

Article no.: No. 98029

Revised on: 15.05.2023

Version: 4.0 Replaced version:3.0



SECTION 10: Stability and reactivity

| | | |
|------|---|--|
| 10.1 | Reactivity | There are no data available. |
| 10.2 | Chemical stability | The material is stable under normal conditions |
| 10.3 | Possibility of hazardous reactions | None known. |
| 10.4 | Conditions to avoid | None known. |
| 10.5 | Incompatible materials | None known. |
| 10.6 | Decomposition products | None known. |

SECTION 11: Toxicological data

| | | |
|--------|---|-----------------------------|
| 11.1 | Information on hazard classes within the meaning of Regulation (EC) No 1272/2008 | |
| | acute toxicity | There are no data available |
| | Corrosive/irritant effect on the skin | There are no data available |
| | Serious eye damage/irritation | There are no data available |
| | Sensitisation of the respiratory tract/skin | There are no data available |
| | Germ cell mutagenicity | There are no data available |
| | Carcinogenicity | There are no data available |
| | Reproductive toxicity | There are no data available |
| | Specific target organ toxicity at single exposure | There are no data available |
| | Specific target organ toxicity in case of repeated exposure | There are no data available |
| | Aspiration hazard | There are no data available |
| 11.2 | Information on other hazards | There are no data available |
| 11.2.1 | Endocrine disrupting properties | There are no data available |
| 11.2.2 | Other information | There are no data available |

SECTION 12. Environmental information

| | | |
|------|--------------------------------------|-----------------------------|
| 12.1 | Toxicity | There are no data available |
| 12.2 | Persistence and degradability | There are no data available |
| 12.3 | Bioaccumulative potential | There are no data available |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

IST@classic telescopes normal (HF9), 1 pair

Article no.: No. 98029

Revised on: 15.05.2023

Version: 4.0 Replaced version:3.0



| | | |
|------|---|-----------------------------|
| 12.4 | Mobility in soil | There are no data available |
| 12.5 | Results of the PBT and vPvB assessment | There are no data available |
| 12.6 | Endocrine disrupting properties | There are no data available |
| 12.7 | Other adverse effects | There are no data available |

SECTION 13: Disposal instructions

| | | |
|------|--------------------------------|--|
| 13.1 | Waste treatment process | |
| | General information | Check possibility of recycling. May be disposed of as household waste or incinerated in a suitable incinerator in accordance with local regulations. Uncleaned packaging: Empty packaging completely. |
| | Disposal methods | There are no data available |

SECTION 14: Transport information

| | | |
|------|--|---------------------------|
| 14.1 | ADR | Not a hazardous material. |
| 14.2 | ADN | Not a hazardous material. |
| 14.3 | RID | Not a hazardous material. |
| 14.4 | IMDG | Not a hazardous material. |
| 14.5 | IATA | Not a hazardous material. |
| 14.6 | Special precautions for the user: | Not a hazardous material. |
| 14.7 | Carriage in bulk in accordance with Annex II of the MARPOL Convention and the IBC Code: | Not a hazardous material. |

SECTION 15: Legislation

| | | |
|------|--|------|
| 15.1 | Safety, health and environmental regulations/specific legislation for the substance or mixture: | |
| | EU regulations | |
| | Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled substances: | none |
| | Regulation (EU) 2019/1021 on persistent organic pollutants (new edition), as amended: | none |
| | Regulation (EC) No 649/2012 on the export and import of dangerous chemicals: | none |
| | Regulation (EC) No 1907/2006, REACH Annex XIV List of substances subject to authorisation, as amended: | none |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

IST@classic telescopes normal (HF9), 1 pair

Article no.: No. 98029

Revised on: 15.05.2023

Version: 4.0 Replaced version:3.0



| | | |
|-------------|--|---|
| | EU. REACH Candidate List of Substances of Very High Concern (SVHC) for authorisation: | none |
| | Regulation (EC) No 1907/2006 Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles : | none |
| | Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work...: | none |
| | Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding: | none |
| | Directive 2012/18/EU (Seveso III) on the control of major-accident hazards involving dangerous substances: | none |
| | REGULATION (EC) No 166/2006 concerning the establishment of a European Pollutant Release and Transfer Register, ANNEX II: Pollutants | none |
| | Directive 98/24/EU on the protection of workers from the risks related to chemical agents at work: | none |
| | National regulations | |
| | Water hazard class | none |
| | Reference to Technical Rules for Hazardous Substances (TRGS) | none |
| | VOC Directive (1999/13/EC) and the Decopaint Directive (2004/42/EC) | none |
| | Other regulations | none |
| 15.2 | Chemical safety assessment | No chemical safety assessment has been carried out. |

SECTION 16: Other information

| | | |
|-------------|--|---|
| 16.1 | Information on the revision | Not relevant. |
| | Important literature references and data sources: | There are no data available. |
| | Training information: | There are no data available. |
| | Disclaimer: | <p>More information</p> <p>To the best of our knowledge, the information in this safety data sheet corresponds to our knowledge at the time of revision. The information is intended to provide guidance on the safe handling of the product specified in this safety data sheet during storage, processing, transportation and disposal. The information is not transferable to other products. Insofar as the product named in this safety data sheet is mixed, blended or processed with other materials, or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material thus produced, unless expressly stated otherwise.</p> |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

IST@classic telescopes normal (HF9), 1 pair

Article no.: No. 98029

Revised on: 15.05.2023

Version: 4.0 Replaced version:3.0



Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Fixing parts for IST@incl. screws

Article no.: No. 98032

Revised on: 15.05.2023

Version: 4.0 Replaced version:3.0



SECTION 1: Identification of the substance or mixture and of the company/undertaking

| | | |
|-------|--|--|
| 1.1 | Product identifier | Fixing parts for IST@incl. screws Article no.:98032 |
| 1.2 | Relevant identified uses of the substance or mixture and uses which are not recommended | |
| 1.2.1 | Relevant uses medical device: | Fastening parts for thermoforming rails |
| 1.2.2 | Uses that are not recommended: | None known |
| 1.3 | Details of the supplier providing the safety data sheet | Dr. Hinz Dental Vertriebsgesellschaft mbH & Co. KG Friedrich der Große 64 44628 Herne GERMANY Phone: + 49 (0) 23 23 / 59 34 20 Fax : + 49 (0) 23 23 / 59 34 29 E-Mail: qm@dhug.de |
| 1.4 | Emergency number | Contact: Dr. P. Hinz Phone: + 49 17 51 83 41 34 |

SECTION 2: Possible dangers

| | | |
|-------|--|--|
| 2.1 | Classification of the substance or mixture | According to EC directives not subject to labeling for handling. |
| 2.1.1 | Classification according to (EC) Regulation 1272/2008 as amended. | Not classified |
| 2.2 | Labelling elements Additional information: | Not applicable No data available |
| 2.3 | Other dangers | There are no data available |

SECTION 3: Composition / Information on ingredients

| | | | | | |
|-------|----------------------------------|--------------------------------------|---------------|-----------------|----------|
| 3.1 | Chemical characterisation | Chrome-nickel/steel, material 1.4305 | | | |
| 3.1.1 | Dangerous ingredients | Not subject to declaration | | | |
| | | Artikel | Deutsch | English | Material |
| | | 98029 | Teleskop HF 9 | Telescopes HF 9 | A, B, C |
| | | 98029 | Teleskop HF 9 | Telescopes HF 9 | A, B |
| | | | | | |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Fixing parts for IST@incl. screws

Article no.: No. 98032

Revised on: 15.05.2023

Version: 4.0 Replaced version:3.0



| | | | | | | | | |
|----------|------------------------------------|-----------|----------------|------------------|--------------|-------------|------------|-------------------|
| | | 98030 | Teleskop HF 15 | Telescopes HF 15 | A, B, C | | | |
| | | 98030 | Teleskop HF 15 | Telescopes HF 15 | A, B | | | |
| Material | | | | | | | | |
| A | Edelstahl / Stainless Steel 1.4301 | | | | | | | |
| | C % | Si % | Mn % | P % | S % | Cr % | Ni % | Sonstige / Others |
| | ≤0,07 | ≤ 1,0 | ≤2,0 | ≤ 0,045 | ≤0,030 | 17,5 – 19,5 | 8,0 – 10,5 | N ≤ 0,11 |
| B | Edelstahl / Stainless Steel 1.4305 | | | | | | | |
| | C % | Si % | Mn % | P % | S % | Cr % | Ni % | Sonstige / Others |
| | ≤ 0,10 | ≤ 1,0 | ≤ 2,0 | ≤0,045 | ≤0,15 – 0,35 | 17,0 – 19,0 | 8,0 – 10,0 | Cu ≤ 1,0; N≤ 0,11 |
| Material | Deutsch | English | | | | | | |
| C | Polyamid | Polyamide | | | | | | |

Section 4: First aid measures

| | | |
|-----|---|---|
| 4.1 | Description of the first aid measures | |
| | General notes | No action should be taken that involves personal risk or has not been adequately trained. |
| | Inhalation: | No special measures required |
| | Eye contact: | No special measures required |
| | Skin contact: | No special measures required |
| | Ingestion: | No special measures required |
| 4.2 | Most important symptoms and effects, both acute and delayed: | No special measures required |
| 4.3 | Indications for immediate medical help or special treatment | |
| | Dangers: | This product is not expected to be harmful under normal use and proper personal hygiene. |
| | Treatment: | Do NOT induce vomiting if swallowed. Administer a glass of water. |

SECTION 5: Fire-fighting measures

| | | |
|-----|---|----------------|
| 5.1 | General fire hazards | Not applicable |
| | Extinguishing agent Suitable extinguishing media | Not applicable |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Fixing parts for IST@incl. screws

Article no.: No. 98032

Revised on: 15.05.2023

Version: 4.0 Replaced version:3.0



| | | |
|-----|---|----------------|
| | Unsuitable extinguishing media: | Not applicable |
| 5.2 | Special hazards arising from the substance or mixture: | Not applicable |
| 5.3 | Advice for firefighters Advice for firefighters: | Not applicable |
| | Special protective equipment for fire fighting: | Not applicable |

SECTION 6: Accidental release measures

| | | |
|-----|---|----------------|
| 6.1 | Personal precautions, protective equipment and emergency procedures: | Not applicable |
| 6.2 | Environmental protection measures: | Not applicable |
| 6.3 | Methods and material for retention and cleaning: | Not applicable |
| 6.4 | Reference to other sections: | Not applicable |

Section 7: Handling and storage:

| | | |
|-----|---|------------------------------|
| 7.1 | Protective measures for safe handling: | No special measures required |
| | Notes on fire and explosion protection: | No special measures required |
| 7.2 | Conditions for safe storage taking into account incompatibilities: | No special measures required |
| | Storage stability: | No special measures required |
| | Storage class: | No special measures required |
| 7.3 | Specific end uses: | No special measures required |

SECTION 8: Exposure controls/personal protective equipment

| | | |
|-----|--|----------------|
| 8.1 | Parameters to be monitored Occupational exposure limit values | not required |
| | Biological limit values | Not applicable |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Fixing parts for IST@incl. screws

Article no.: No. 98032

Revised on: 15.05.2023

Version: 4.0 Replaced version:3.0



| | | |
|---|--|--------------|
| 8.2 | Exposure controls Suitable engineering controls: | not required |
| | Individual protective measures, for example personal protective equipment | |
| | General information: | not required |
| | Eye/face protection: | not required |
| | Skin protection | not required |
| | Hand protection: | not required |
| | Other: | not required |
| | Respiratory protection: | not required |
| | Hygiene measures: | not required |
| Limitation and monitoring of environmental exposure: | not required | |

SECTION 9: Physical and chemical properties

| | | |
|-------------------------|---|--|
| 9.1 | Information on the basic physical and chemical properties | |
| | Parameter | Wert |
| | State of aggregation | Solid material |
| | Colour | silver gray, metallic |
| | Smell | odorless |
| | Melting point/freezing point | 1400-1550 °C (depending on steel grade) |
| | Boiling point or initial boiling point and boiling range | There are no data available. |
| | Flammability | There are no data available. |
| | Lower explosion limit upper explosion limit | There are no data available. |
| | Flash point | There are no data available. |
| | Ignition temperature | There are no data available. |
| | Decomposition temperature | inapplicable |
| | pH value | inapplicable |
| | Kinematic viscosity | There are no data available. |
| | Solubility | Non soluble |
| | Partition coefficient n-octanol/water (log value) | There are no data available. |
| | Vapour pressure | There are no data available. |
| | Density and/or specific gravity | 7.7 - 8.1 g / cm ³ (depending on steel grade)none |
| Relative vapour density | There are no data available. | |
| Particle properties | There are no data available. | |
| 9.2. | Other information Bulk density: approx. 0.600 g/cm ³ | |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Fixing parts for IST@incl. screws

Article no.: No. 98032

Revised on: 15.05.2023

Version: 4.0 Replaced version:3.0



SECTION 10: Stability and reactivity

| | | |
|------|---|--|
| 10.1 | Reactivity | There are no data available. |
| 10.2 | Chemical stability | The material is stable under normal conditions |
| 10.3 | Possibility of hazardous reactions | None known. |
| 10.4 | Conditions to avoid | None known. |
| 10.5 | Incompatible materials | None known. |
| 10.6 | Decomposition products | None known. |

SECTION 11: Toxicological data

| | | |
|--------|---|-----------------------------|
| 11.1 | Information on hazard classes within the meaning of Regulation (EC) No 1272/2008 | |
| | acute toxicity | There are no data available |
| | Corrosive/irritant effect on the skin | There are no data available |
| | Serious eye damage/irritation | There are no data available |
| | Sensitisation of the respiratory tract/skin | There are no data available |
| | Germ cell mutagenicity | There are no data available |
| | Carcinogenicity | There are no data available |
| | Reproductive toxicity | There are no data available |
| | Specific target organ toxicity at single exposure | There are no data available |
| | Specific target organ toxicity in case of repeated exposure | There are no data available |
| | Aspiration hazard | There are no data available |
| 11.2 | Information on other hazards | There are no data available |
| 11.2.1 | Endocrine disrupting properties | There are no data available |
| 11.2.2 | Other information | There are no data available |

SECTION 12. Environmental information

| | | |
|------|--------------------------------------|-----------------------------|
| 12.1 | Toxicity | There are no data available |
| 12.2 | Persistence and degradability | There are no data available |
| 12.3 | Bioaccumulative potential | There are no data available |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Fixing parts for IST@incl. screws

Article no.: No. 98032

Revised on: 15.05.2023

Version: 4.0 Replaced version:3.0



| | | |
|------|---|-----------------------------|
| 12.4 | Mobility in soil | There are no data available |
| 12.5 | Results of the PBT and vPvB assessment | There are no data available |
| 12.6 | Endocrine disrupting properties | There are no data available |
| 12.7 | Other adverse effects | There are no data available |

SECTION 13: Disposal instructions

| | | |
|------|--------------------------------|--|
| 13.1 | Waste treatment process | |
| | General information | Check possibility of recycling. May be disposed of as household waste or incinerated in a suitable incinerator in accordance with local regulations. Uncleaned packaging: Empty packaging completely. |
| | Disposal methods | There are no data available |

SECTION 14: Transport information

| | | |
|------|--|---------------------------|
| 14.1 | ADR | Not a hazardous material. |
| 14.2 | ADN | Not a hazardous material. |
| 14.3 | RID | Not a hazardous material. |
| 14.4 | IMDG | Not a hazardous material. |
| 14.5 | IATA | Not a hazardous material. |
| 14.6 | Special precautions for the user: | Not a hazardous material. |
| 14.7 | Carriage in bulk in accordance with Annex II of the MARPOL Convention and the IBC Code: | Not a hazardous material. |

SECTION 15: Legislation

| | | |
|------|--|------|
| 15.1 | Safety, health and environmental regulations/specific legislation for the substance or mixture: | |
| | EU regulations | |
| | Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled substances: | none |
| | Regulation (EU) 2019/1021 on persistent organic pollutants (new edition), as amended: | none |
| | Regulation (EC) No 649/2012 on the export and import of dangerous chemicals: | none |
| | Regulation (EC) No 1907/2006, REACH Annex XIV List of substances subject to authorisation, as amended: | none |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Fixing parts for IST@incl. screws

Article no.: No. 98032

Revised on: 15.05.2023

Version: 4.0 Replaced version:3.0



| | | |
|-------------|--|---|
| | EU. REACH Candidate List of Substances of Very High Concern (SVHC) for authorisation: | none |
| | Regulation (EC) No 1907/2006 Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles : | none |
| | Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work...: | none |
| | Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding: | none |
| | Directive 2012/18/EU (Seveso III) on the control of major-accident hazards involving dangerous substances: | none |
| | REGULATION (EC) No 166/2006 concerning the establishment of a European Pollutant Release and Transfer Register, ANNEX II: Pollutants | none |
| | Directive 98/24/EU on the protection of workers from the risks related to chemical agents at work: | none |
| | National regulations | |
| | Water hazard class | none |
| | Reference to Technical Rules for Hazardous Substances (TRGS) | none |
| | VOC Directive (1999/13/EC) and the Decopaint Directive (2004/42/EC) | none |
| | Other regulations | none |
| 15.2 | Chemical safety assessment | No chemical safety assessment has been carried out. |

SECTION 16: Other information

| | | |
|-------------|--|---|
| 16.1 | Information on the revision | Not relevant. |
| | Important literature references and data sources: | There are no data available. |
| | Training information: | There are no data available. |
| | Disclaimer: | <p>More information</p> <p>To the best of our knowledge, the information in this safety data sheet corresponds to our knowledge at the time of revision. The information is intended to provide guidance on the safe handling of the product specified in this safety data sheet during storage, processing, transportation and disposal. The information is not transferable to other products. Insofar as the product named in this safety data sheet is mixed, blended or processed with other materials, or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material thus produced, unless expressly stated otherwise.</p> |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Fixing parts for IST@incl. screws

Article no.: No. 98032

Revised on: 15.05.2023

Version: 4.0 Replaced version:3.0



Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Monomer

Article no.: No. 98115

Revised on: 15.05.2023

Version: 4.0 Replaced version:3.0



SECTION 1: Identification of the substance or mixture and of the company/undertaking

| | | |
|-------|--|--|
| 1.1 | Product identifier | Steady-Resin S + M Monomer Article no.:98115 |
| 1.2 | Relevant identified uses of the substance or mixture and uses which are not recommended | |
| 1.2.1 | Relevant uses medical device: | Production of dental products |
| 1.2.2 | Uses that are not recommended: | None known |
| 1.3 | Details of the supplier providing the safety data sheet | Dr. Hinz Dental Vertriebsgesellschaft mbH & Co. KG Friedrich der Große 64 44628 Herne GERMANY Phone: + 49 (0) 23 23 / 59 34 20 Fax : + 49 (0) 23 23 / 59 34 29 E-Mail: qm@dhug.de |
| 1.4 | Emergency number | Contact: Dr. P. Hinz Phone: + 49 17 51 83 41 34 |

SECTION 2: Possible dangers

| | | |
|-------|--|------------------------------------|
| 2.1 | Classification of the substance or mixture Hazard Categories: Flammable Liquids: Flamm. Fl. 2 Skin corrosion/irritation: Skin Irrit. 2 Respiratory/skin sensitization: Sens. Skin 1 Specific target organ toxicity (single exposure): STOT inc. 3 Hazard statements: Highly flammable liquid and vapor. Causes skin irritation. May cause allergic skin reactions. May cause respiratory irritation. | |
| 2.1.1 | Classification according to (EC) Regulation 1272/2008 as amended. Hazard Categories: Flammable Liquids: Flamm. Fl. 2 Skin corrosion/irritation: Skin Irrit. 2 Respiratory/skin sensitization: Sens. Skin 1 Specific target organ toxicity (single exposure): STOT inc. 3 Hazard statements: Highly flammable liquid and vapor. Causes skin irritation. May cause allergic skin reactions. May cause respiratory irritation. | |
| 2.2 | Labelling elements Additional information: | Signal word Danger - Pictograms |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Monomer

Article no.: No. 98115

Revised on: 15.05.2023

Version: 4.0 Replaced version:3.0



| | | |
|-----|---------------|---|
| | | <p>GHS02, GHS07</p> <p>Hazard statements H225 Highly flammable liquid and vapor. H315 Causes skin irritation. H317 May cause allergic skin reactions. H335 May cause respiratory irritation.</p> <p>Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Do not smoke. P261 Avoid breathing dust/fume/gas/mist/vapor/aerosol. P280 Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362+P364 Remove contaminated clothing and wash before reuse. P370+P378 In case of fire: Use carbon dioxide (CO2), foam or extinguishing powder to extinguish. P403+P235 Keep in a well-ventilated place. Keep cool. P501 Dispose of contents/container as hazardous waste in accordance with local and national legislation. Dispose of to appropriate, licensed combustible organic waste incinerator.</p> |
| 2.3 | Other dangers | There is no information available. |

SECTION 3: Composition / Information on ingredients

| 3.1 | Chemical characterisation | Methylmethacrylat 1,4-Butandioldimethacrylat | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|--|-------------|-------------|-------|--|--------------------------------------|--|--|---------------------|--|---------|-------------------|-------------|--|---------------------------------|--|--|--|--|-----------|----------------------------|------------|--|--|--|--|--|--|---------|--------|-------------|-------|--|--|--|--|---------|-----------|-------------------|-------------|--|--|---|--|-----------|-----------|----------------------------|------------|--|--|--|--|
| 3.1.1 | Dangerous ingredients | <p>Wording of H- and EUH-phrases: see section 16</p> <table border="1"> <thead> <tr> <th>CAS-Nr.</th> <th>Designation</th> <th>Share</th> </tr> </thead> <tbody> <tr> <td></td> <td>EG-Nr. Index-NR. Reach_Nr.</td> <td></td> </tr> <tr> <td></td> <td>GHS- Classification</td> <td></td> </tr> <tr> <td>80-62-6</td> <td>Methylmethacrylat</td> <td>90 - < 95 %</td> </tr> <tr> <td></td> <td>201-297-1 01-2119452498-28</td> <td></td> </tr> <tr> <td></td> <td>Flam. Liq. 2, Skin Irrit. 2, Skin Sens. 1, STOT SE 3; H225 H315 H317 H335</td> <td></td> </tr> <tr> <td>2082-81-7</td> <td>1,4-Butandioldimethacrylat</td> <td>5 - < 10 %</td> </tr> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>CAS-Nr.</th> <th>EG-Nr.</th> <th>Designation</th> <th>Share</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td>Specific concentration limits, M-factors and ATE</td> <td></td> </tr> <tr> <td>80-62-6</td> <td>201-297-1</td> <td>Methylmethacrylat</td> <td>90 - < 95 %</td> </tr> <tr> <td></td> <td></td> <td>inhalative: LC50 = 29,8 mg/l (Dämpfe); dermal: LD50 = >5000 mg/kg; oral: LD50 = >5000 mg/kg</td> <td></td> </tr> <tr> <td>2082-81-7</td> <td>218-218-1</td> <td>1,4-Butandioldimethacrylat</td> <td>5 - < 10 %</td> </tr> <tr> <td></td> <td></td> <td>dermal: LD50 = > 3000 mg/kg; oral: LD50 = >10000 mg kg</td> <td></td> </tr> </tbody> </table> | CAS-Nr. | Designation | Share | | EG-Nr. Index-NR. Reach_Nr. | | | GHS- Classification | | 80-62-6 | Methylmethacrylat | 90 - < 95 % | | 201-297-1 01-2119452498-28 | | | Flam. Liq. 2, Skin Irrit. 2, Skin Sens. 1, STOT SE 3; H225 H315 H317 H335 | | 2082-81-7 | 1,4-Butandioldimethacrylat | 5 - < 10 % | | | | | | | CAS-Nr. | EG-Nr. | Designation | Share | | | Specific concentration limits, M-factors and ATE | | 80-62-6 | 201-297-1 | Methylmethacrylat | 90 - < 95 % | | | inhalative: LC50 = 29,8 mg/l (Dämpfe); dermal: LD50 = >5000 mg/kg; oral: LD50 = >5000 mg/kg | | 2082-81-7 | 218-218-1 | 1,4-Butandioldimethacrylat | 5 - < 10 % | | | dermal: LD50 = > 3000 mg/kg; oral: LD50 = >10000 mg kg | |
| CAS-Nr. | Designation | Share | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | EG-Nr. Index-NR. Reach_Nr. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | GHS- Classification | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 80-62-6 | Methylmethacrylat | 90 - < 95 % | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 201-297-1 01-2119452498-28 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Flam. Liq. 2, Skin Irrit. 2, Skin Sens. 1, STOT SE 3; H225 H315 H317 H335 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2082-81-7 | 1,4-Butandioldimethacrylat | 5 - < 10 % | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CAS-Nr. | EG-Nr. | Designation | Share | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Specific concentration limits, M-factors and ATE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 80-62-6 | 201-297-1 | Methylmethacrylat | 90 - < 95 % | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | inhalative: LC50 = 29,8 mg/l (Dämpfe); dermal: LD50 = >5000 mg/kg; oral: LD50 = >5000 mg/kg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2082-81-7 | 218-218-1 | 1,4-Butandioldimethacrylat | 5 - < 10 % | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | dermal: LD50 = > 3000 mg/kg; oral: LD50 = >10000 mg kg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Monomer

Article no.: No. 98115

Revised on: 15.05.2023

Version: 4.0 Replaced version:3.0



Section 4: First aid measures

| | | |
|-----|---|---|
| 4.1 | Description of the first aid measures | |
| | General notes | Immediately remove soiled, saturated clothing. In case of skin irritation or rash: Seek medical advice / seek medical attention. If eye irritation persists: Get medical advice / attention. |
| | Inhalation: | Provide fresh air. In all cases of doubt or if symptoms are present, seek medical advice. |
| | Eye contact: | In case of eye contact, rinse eyes with water for a sufficient time with eyelids open, then consult an ophthalmologist immediately |
| | Skin contact: | In case of contact with skin, wash off immediately with polyethylene glycol, then with plenty of water. Immediately remove all contaminated clothing and wash before reapplication. Medical treatment necessary |
| | Ingestion: | In case of vomiting, observe risk of aspiration. Rinse out mouth immediately and drink plenty of water. and drink plenty of water. |
| 4.2 | Most important symptoms and effects, both acute and delayed: | Causes skin irritation. May cause respiratory irritation. May cause allergic skin reactions. |
| 4.3 | Indications for immediate medical help or special treatment | |
| | Dangers: | There is no information available |
| | Treatment: | Symptomatic treatment |

SECTION 5: Fire-fighting measures

| | | |
|-----|---|--|
| 5.1 | General fire hazards | Use water spray to protect personnel and to cool containers in the hazardous area. |
| | Extinguishing agent | |
| | Suitable extinguishing media | CO ₂ , sand, extinguishing powder. Do not use water. |
| | Unsuitable extinguishing media: | Water in full jet |
| 5.2 | Special hazards arising from the substance or mixture: | Flammable. Vapors may form explosive mixtures with air. |
| 5.3 | Advice for firefighters | Wear self-contained breathing apparatus and chemical protective suit. Full protective suit. |
| | Special protective equipment for fire fighting: | Use water spray to protect persons and to cool containers in the danger zone. Knock down gases/vapors/mist with water spray jet. Collect contaminated extinguishing water separately. Do not allow Do not allow to enter sewage system or water. |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Monomer

Article no.: No. 98115

Revised on: 15.05.2023

Version: 4.0 Replaced version:3.0



SECTION 6: Accidental release measures

| | | |
|-----|---|--|
| 6.1 | Personal precautions, protective equipment and emergency procedures: | Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/aerosol. Avoid contact with skin, eyes and clothing. Use personal protective equipment. |
| 6.2 | Environmental protection measures: | Do not allow uncontrolled release of product into the environment. Explosion hazard |
| 6.3 | Methods and material for retention and cleaning: | Absorb with liquid-binding material (sand, diatomaceous earth; acid binders, universal binders). Treat the absorbed material according to section Disposal. |
| 6.4 | Reference to other sections: | Safe handling: see section 7 Personal protective equipment: see section 8 Disposal: see section 13 |

Section 7: Handling and storage:

| | | |
|-----|---|---|
| 7.1 | Protective measures for safe handling: | In case of open handling, use equipment with local exhaust ventilation. Do not inhale gas/fume/vapor/aerosol. |
| | Notes on fire and explosion protection: | Keep away from sources of ignition - do not smoke. Take measures against electrostatic charges. Vapors may form explosive form explosive mixtures with air. |
| 7.2 | Conditions for safe storage taking into account incompatibilities: | Keep container tightly closed. Keep container in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other sources of ignition. Do not smok |
| | Storage stability: | Information on storage in one common storage facility Do not store together with: Oxidizing agents, pyrophors or self-heating hazardous substances. |
| | Storage class: | Storage class according to TRGS 510: 3 (Flammable liquids) |
| 7.3 | Specific end uses: | Production of orthodontic appliances. |

SECTION 8: Exposure controls/personal protective equipment

| | | |
|-----|--|--|
| 8.1 | Parameters to be monitored Occupational exposure limit values | |
|-----|--|--|

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Monomer

Article no.: No. 98115

Revised on: 15.05.2023

Version: 4.0 Replaced version:3.0



Occupational exposure limits (TRGS 900)

| CAS-Nr. | Designation | ppm | mg/m ³ | F/m ³ | Peak limiting value | Art. |
|---------|--------------------|-----|-------------------|------------------|---------------------|------|
| 80-62-6 | Methyl-methacrylat | 50 | 210 | | 2(l) | |

DNEL/DMEL values

| CAS-Nr. | Designation | Exposure route | Effect | Value |
|---------|------------------------|----------------|--------|-----------------------|
| 80-62-6 | Methylmethacrylat | | | |
| | Worker DNEL, long-term | inhalativ | | 208 mg/m ³ |
| | Worker DNEL, long-term | dermal | | 17 mg/kg KG/d |

Biological limit values

none

8.2

Exposure controls Suitable engineering controls:

In case of open handling, use equipment with local exhaust ventilation. Do not inhale gas/fume/vapor/aerosol.

Individual protective measures, for example personal protective equipment

General information:

Immediately remove soiled, saturated clothing. Draw up and follow the skin protection plan! Before breaks and at the end of

Wash hands and face thoroughly before breaks and at the end of work, shower if necessary. Do not eat or drink while working

Eye/face protection:

Wear eye/face protection.

Skin protection Hand protection:

Wear suitable protective gloves.

For protection against splashes: butyl; EN 374.

For protection against immersion: Butyl; 0.7 mm or thicker, EN 373.

The suitability of gloves should be agreed with the manufacturer. In case of contamination or if breakthrough time

is exceeded, change gloves. Resistance of glove material: see information of the

glove manufacturer.

Other:

Flame retardant clothing. Wear antistatic shoes and work clothes

Respiratory protection:

Wear appropriate respiratory protection if technical measures are inadequate or not available and exposure is expected to be

is expected to exceed the DNEL (derived exposure level below which the substance will not cause adverse effects to human health).

health). A suitable respiratory mask with filter type A (EN 141 or EN 405) is recommended. In case of

formation of particularly high vapor concentrations, self-contained breathing apparatus may be necessary.

Hygiene measures:

not required

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Monomer

Article no.: No. 98115

Revised on: 15.05.2023

Version: 4.0 Replaced version:3.0



| | |
|---|--|
| Limitation and monitoring of environmental exposure: | Prevent seepage into drains or surface and ground water. |
|---|--|

SECTION 9: Physical and chemical properties

| 9.1 | Information on the basic physical and chemical properties | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|-----------|------|----------------------|--------|--------|-------------------------------|-------|----------------|------------------------------|---------------|--|----------|--------------|--------------|--|---------------------------|-------------|-------|----------------------|--------|---------------------------|----------------|----------|----------------|---------------------|--|------------|---|---|----------------|-----------------|-------------------------------------|---------------------------------|------------------------|-------------------------|----------------|---------------------|----------------|
| | <table border="1"><thead><tr><th>Parameter</th><th>Wert</th></tr></thead><tbody><tr><td>State of aggregation</td><td>liquid</td></tr><tr><td>Colour</td><td>according to product labeling</td></tr><tr><td>Smell</td><td>characteristic</td></tr><tr><td>Melting point/freezing point</td><td>minus 48,2 °C</td></tr><tr><td>Boiling point or initial boiling point and boiling range</td><td>100,3 °C</td></tr><tr><td>Flammability</td><td>inapplicable</td></tr><tr><td>Lower explosion limit upper explosion limit</td><td>2,1 Vol.-% 12,5 Vol.-%</td></tr><tr><td>Flash point</td><td>10 °C</td></tr><tr><td>Ignition temperature</td><td>430 °C</td></tr><tr><td>Decomposition temperature</td><td>Not determined</td></tr><tr><td>pH value</td><td>Not determined</td></tr><tr><td>Kinematic viscosity</td><td>Dyn. Viskosität: (bei 20 °C) 0,63 mPas</td></tr><tr><td>Solubility</td><td>Solubility in water: (at 20 °C) 15.9 g/L Solubility in other solvents: very soluble</td></tr><tr><td>Partition coefficient n-octanol/water (log value)</td><td>Not determined</td></tr><tr><td>Vapour pressure</td><td>Vapor pressure: (at 20 °C) 38.7 hPa</td></tr><tr><td>Density and/or specific gravity</td><td>0,94 g/cm³</td></tr><tr><td>Relative vapour density</td><td>Not determined</td></tr><tr><td>Particle properties</td><td>Not determined</td></tr></tbody></table> | Parameter | Wert | State of aggregation | liquid | Colour | according to product labeling | Smell | characteristic | Melting point/freezing point | minus 48,2 °C | Boiling point or initial boiling point and boiling range | 100,3 °C | Flammability | inapplicable | Lower explosion limit upper explosion limit | 2,1 Vol.-% 12,5 Vol.-% | Flash point | 10 °C | Ignition temperature | 430 °C | Decomposition temperature | Not determined | pH value | Not determined | Kinematic viscosity | Dyn. Viskosität: (bei 20 °C) 0,63 mPas | Solubility | Solubility in water: (at 20 °C) 15.9 g/L Solubility in other solvents: very soluble | Partition coefficient n-octanol/water (log value) | Not determined | Vapour pressure | Vapor pressure: (at 20 °C) 38.7 hPa | Density and/or specific gravity | 0,94 g/cm ³ | Relative vapour density | Not determined | Particle properties | Not determined |
| Parameter | Wert | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| State of aggregation | liquid | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Colour | according to product labeling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Smell | characteristic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Melting point/freezing point | minus 48,2 °C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Boiling point or initial boiling point and boiling range | 100,3 °C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Flammability | inapplicable | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lower explosion limit upper explosion limit | 2,1 Vol.-% 12,5 Vol.-% | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Flash point | 10 °C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ignition temperature | 430 °C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Decomposition temperature | Not determined | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| pH value | Not determined | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kinematic viscosity | Dyn. Viskosität: (bei 20 °C) 0,63 mPas | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Solubility | Solubility in water: (at 20 °C) 15.9 g/L Solubility in other solvents: very soluble | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Partition coefficient n-octanol/water (log value) | Not determined | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Vapour pressure | Vapor pressure: (at 20 °C) 38.7 hPa | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Density and/or specific gravity | 0,94 g/cm ³ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Relative vapour density | Not determined | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Particle properties | Not determined | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 9.2. | Other information Partition coefficient: 1.38 Dyn. viscosity: (at 20 °C) 0.63 mPa*s Solid content: not determined | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

SECTION 10: Stability and reactivity

| | | |
|-------------|---|---|
| 10.1 | Reactivity | Flammable, risk of ignition |
| 10.2 | Chemical stability | The product is stable when stored at normal ambient temperatures. |
| 10.3 | Possibility of hazardous reactions | Can polymerize exothermically when heated, exposed to light and air, or with the addition of free radical initiators. |
| 10.4 | Conditions to avoid | Keep away from heat sources (e.g. hot surfaces), sparks and open flames. May polymerize exothermically on heating, exposure to light and exposure to light and air or when free radical initiators are added. Protect from direct sunlight. |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Monomer

Article no.: No. 98115

Revised on: 15.05.2023

Version: 4.0 Replaced version:3.0



| | | |
|------|-------------------------------|--|
| | | direct sunlight. |
| 10.5 | Incompatible materials | In the presence of free radical formers (e.g. peroxides), reducing substances and/or heavy metal ions, polymerization is possible under heat generation is possible. |
| 10.6 | Decomposition products | No hazardous decomposition products are known. In the presence of free radical formers (e.g. peroxides), reducing substances and/or heavy metal ions, polymerization with heat generation is possible. |

SECTION 11: Toxicological data

| 11.1 | Information on hazard classes within the meaning of Regulation (EC) No 1272/2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|---|------------------|-------------|-----------------|---------|----------|---------|--------|---------|-------------------|------|------|------------|-----|----------|--|--|--------|------|-------------|--------|--|--|--|------------------|------|-----------|-----|--|-----------|-----------------------------|------|------|--------------|-----|--|--|--|--------|------|-------------|--------|--|
| | acute toxicity | Based on available data, the classification criteria are not met. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <table border="1"><thead><tr><th>CAS-Nr.</th><th>Designation</th><th>Exposure routes</th><th>Method</th><th>Dose</th><th>Species</th><th>Source</th></tr></thead><tbody><tr><td>80-62-6</td><td>Methylmethacrylat</td><td>oral</td><td>LD50</td><td>>5000mg/kg</td><td>Rat</td><td>OECD 401</td></tr><tr><td></td><td></td><td>dermal</td><td>LD50</td><td>>5000 mg/kg</td><td>Rabbit</td><td></td></tr><tr><td></td><td></td><td>Inhalative vapor</td><td>LC50</td><td>29,8 mg/l</td><td>Rat</td><td></td></tr><tr><td>2082-81-7</td><td>1,4-Butandiol dimethacrylat</td><td>oral</td><td>LD50</td><td>>10000 mg/kg</td><td>Rat</td><td></td></tr><tr><td></td><td></td><td>dermal</td><td>LD50</td><td>>3000 mg/kg</td><td>Rabbit</td><td></td></tr></tbody></table> | | CAS-Nr. | Designation | Exposure routes | Method | Dose | Species | Source | 80-62-6 | Methylmethacrylat | oral | LD50 | >5000mg/kg | Rat | OECD 401 | | | dermal | LD50 | >5000 mg/kg | Rabbit | | | | Inhalative vapor | LC50 | 29,8 mg/l | Rat | | 2082-81-7 | 1,4-Butandiol dimethacrylat | oral | LD50 | >10000 mg/kg | Rat | | | | dermal | LD50 | >3000 mg/kg | Rabbit | |
| | CAS-Nr. | Designation | Exposure routes | Method | Dose | Species | Source | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 80-62-6 | Methylmethacrylat | oral | LD50 | >5000mg/kg | Rat | OECD 401 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | dermal | LD50 | >5000 mg/kg | Rabbit | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | Inhalative vapor | LC50 | 29,8 mg/l | Rat | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2082-81-7 | 1,4-Butandiol dimethacrylat | oral | LD50 | >10000 mg/kg | Rat | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | dermal | LD50 | >3000 mg/kg | Rabbit | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Corrosive/irritant effect on the skin | Causes skin irritation. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Serious eye damage/irritation | Based on available data, the classification criteria are not met. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sensitisation of the respiratory tract/skin | May cause allergic skin reactions. (Methyl methacrylate, 1,4-butanediol dimethacrylate) May cause respiratory irritation. (Methyl methacrylate) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Germ cell mutagenicity | Based on available data, the classification criteria are not met. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinogenicity | Based on available data, the classification criteria are not met. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Reproductive toxicity | Based on available data, the classification criteria are not met. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Specific target organ toxicity at single exposure | Based on available data, the classification criteria are not met. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Specific target organ toxicity in case of repeated exposure | Based on available data, the classification criteria are not met. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Aspiration hazard | Based on available data, the classification criteria are not met. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 11.2 | Information on other hazards | Based on available data, the classification criteria are not met. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 11.2.1 | Endocrine disrupting properties | Based on available data, the classification criteria are not met. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 11.2.2 | Other information | The mixture is classified as dangerous according to Directive 1999/45/EC. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Monomer

Article no.: No. 98115

Revised on: 15.05.2023

Version: 4.0 Replaced version:3.0



SECTION 12. Environmental information

| 12.1 | Toxicity | The product is not: Ecotoxic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---|--|-------------|-------------|-------------------------------------|----------|-------------------|--------|-----------|-----------------------------|-----|--|--|--|--|--|---------------------|------|----------|------|-------------------------------------|----------|--|----------------------|------------|------|------|---------------------------|----------|--|---------------------------|-----------|----|------|----------------------------------|----------|--|---------------------|-----------|----|------|----------------------------------|----------|-----------|-----------------------------|--|--|--|--|--|--|---------------------|-----------|------|------|-------------------------------------|--|--|---------------------------|-----------|------|------|----------------------------------|----------|--|---------------------|-----------|------|--|---------------------------|--|--|
| | <table border="1"><thead><tr><th>CAS-Nr.</th><th>Designation</th><th>Method</th><th>Dose</th><th>h] [d]</th><th>Species</th><th>Source</th></tr></thead><tbody><tr><td>80-62-6</td><td>Aquatic toxicity</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td>Acute fish toxicity</td><td>LC50</td><td>>79 mg/l</td><td>96 h</td><td>Oncorhynchus mykiss (Rainbow trout)</td><td>OECD 203</td></tr><tr><td></td><td>Acute algal toxicity</td><td>ErC50 mg/l</td><td>>110</td><td>72 h</td><td>Selenastrum capricornutum</td><td>OECD 201</td></tr><tr><td></td><td>Acute crustacean toxicity</td><td>EC50 mg/l</td><td>69</td><td>48 h</td><td>Daphnia magna (Large water flea)</td><td>OECD 202</td></tr><tr><td></td><td>Crustacean toxicity</td><td>NOEC mg/l</td><td>37</td><td>21 d</td><td>Daphnia magna (Large water flea)</td><td>OECD 202</td></tr><tr><td>2082-81-7</td><td>1,4-Butandiol dimethacrylat</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td>Acute fish toxicity</td><td>LC50 mg/l</td><td>32,5</td><td>96 h</td><td>Oncorhynchus mykiss (Rainbow trout)</td><td></td></tr><tr><td></td><td>Acute crustacean toxicity</td><td>EC50 mg/l</td><td>7,51</td><td>48 h</td><td>Daphnia magna (Large water flea)</td><td>OECD 211</td></tr><tr><td></td><td>Crustacean toxicity</td><td>NOEC mg/l</td><td>7,51</td><td></td><td>Selenastrum capricornutum</td><td></td></tr></tbody></table> | CAS-Nr. | Designation | Method | Dose | h] [d] | Species | Source | 80-62-6 | Aquatic toxicity | | | | | | | Acute fish toxicity | LC50 | >79 mg/l | 96 h | Oncorhynchus mykiss (Rainbow trout) | OECD 203 | | Acute algal toxicity | ErC50 mg/l | >110 | 72 h | Selenastrum capricornutum | OECD 201 | | Acute crustacean toxicity | EC50 mg/l | 69 | 48 h | Daphnia magna (Large water flea) | OECD 202 | | Crustacean toxicity | NOEC mg/l | 37 | 21 d | Daphnia magna (Large water flea) | OECD 202 | 2082-81-7 | 1,4-Butandiol dimethacrylat | | | | | | | Acute fish toxicity | LC50 mg/l | 32,5 | 96 h | Oncorhynchus mykiss (Rainbow trout) | | | Acute crustacean toxicity | EC50 mg/l | 7,51 | 48 h | Daphnia magna (Large water flea) | OECD 211 | | Crustacean toxicity | NOEC mg/l | 7,51 | | Selenastrum capricornutum | | |
| CAS-Nr. | Designation | Method | Dose | h] [d] | Species | Source | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 80-62-6 | Aquatic toxicity | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Acute fish toxicity | LC50 | >79 mg/l | 96 h | Oncorhynchus mykiss (Rainbow trout) | OECD 203 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Acute algal toxicity | ErC50 mg/l | >110 | 72 h | Selenastrum capricornutum | OECD 201 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Acute crustacean toxicity | EC50 mg/l | 69 | 48 h | Daphnia magna (Large water flea) | OECD 202 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Crustacean toxicity | NOEC mg/l | 37 | 21 d | Daphnia magna (Large water flea) | OECD 202 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2082-81-7 | 1,4-Butandiol dimethacrylat | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Acute fish toxicity | LC50 mg/l | 32,5 | 96 h | Oncorhynchus mykiss (Rainbow trout) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Acute crustacean toxicity | EC50 mg/l | 7,51 | 48 h | Daphnia magna (Large water flea) | OECD 211 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Crustacean toxicity | NOEC mg/l | 7,51 | | Selenastrum capricornutum | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 12.2 | Persistence and degradability | The product was not tested | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 12.3 | Bioaccumulative potential | There is no information available | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | <table border="1"><thead><tr><th>CAS-Nr.</th><th>Designation</th><th>Log Pow</th></tr></thead><tbody><tr><td>80-62-6</td><td>Methylmethacrylat</td><td>1,38</td></tr><tr><td>2082-81-7</td><td>1,4-Butandiol dimethacrylat</td><td>3,1</td></tr></tbody></table> | CAS-Nr. | Designation | Log Pow | 80-62-6 | Methylmethacrylat | 1,38 | 2082-81-7 | 1,4-Butandiol dimethacrylat | 3,1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CAS-Nr. | Designation | Log Pow | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 80-62-6 | Methylmethacrylat | 1,38 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2082-81-7 | 1,4-Butandiol dimethacrylat | 3,1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 12.4 | Mobility in soil | The product was not tested. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 12.5 | Results of the PBT and vPvB assessment | The product was not tested | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 12.6 | Endocrine disrupting properties | There is no information available | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 12.7 | Other adverse effects | Avoid release into the environment.. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

SECTION 13: Disposal instructions

| | | |
|-------------|--------------------------------|--|
| 13.1 | Waste treatment process | |
| | General information | Do not allow to enter drains or water courses. Dispose of in accordance with official regulations. |
| | Disposal methods | Wash off with plenty of water. Completely emptied packaging can be recycled. |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Monomer










Article no.: No. 98115

Revised on: 15.05.2023

Version: 4.0 Replaced version:3.0



SECTION 14: Transport information

| 14.1 | ADR | Other relevant information on land transport | | | | | | | | | | | | | | | | | | | | |
|--|---|---|-----------|---------|--|--|---------------------------|---|---------------|----|---------------|---|----------------------|----|------------------------|-----|---------------------|---|----------------|-----|--------------------------|-----|
| | | <table border="1"><tr><td>UN number</td><td>UN 1247</td></tr><tr><td>Proper shipping name UN Shipping Name:</td><td>METHYLMETHACRYLAT, MONOMER, STABILISIERT</td></tr><tr><td>Transport hazard classes:</td><td>3</td></tr><tr><td>Packing group</td><td>II</td></tr><tr><td>Hazard label:</td><td>3 </td></tr><tr><td>Classification Code:</td><td>F1</td></tr><tr><td>Limited Quantity (LQ):</td><td>1 L</td></tr><tr><td>Transport category:</td><td>2</td></tr><tr><td>Hazard number:</td><td>339</td></tr><tr><td>Tunnel Restriction Code:</td><td>D/E</td></tr></table> <p>Quantity exempted: E2</p> <p>SAPT: > 60 °C</p> | UN number | UN 1247 | Proper shipping name UN Shipping Name: | METHYLMETHACRYLAT, MONOMER, STABILISIERT | Transport hazard classes: | 3 | Packing group | II | Hazard label: | 3  | Classification Code: | F1 | Limited Quantity (LQ): | 1 L | Transport category: | 2 | Hazard number: | 339 | Tunnel Restriction Code: | D/E |
| UN number | UN 1247 | | | | | | | | | | | | | | | | | | | | | |
| Proper shipping name UN Shipping Name: | METHYLMETHACRYLAT, MONOMER, STABILISIERT | | | | | | | | | | | | | | | | | | | | | |
| Transport hazard classes: | 3 | | | | | | | | | | | | | | | | | | | | | |
| Packing group | II | | | | | | | | | | | | | | | | | | | | | |
| Hazard label: | 3  | | | | | | | | | | | | | | | | | | | | | |
| Classification Code: | F1 | | | | | | | | | | | | | | | | | | | | | |
| Limited Quantity (LQ): | 1 L | | | | | | | | | | | | | | | | | | | | | |
| Transport category: | 2 | | | | | | | | | | | | | | | | | | | | | |
| Hazard number: | 339 | | | | | | | | | | | | | | | | | | | | | |
| Tunnel Restriction Code: | D/E | | | | | | | | | | | | | | | | | | | | | |
| 14.2 | ADN | Other relevant information on inland waterway transport | | | | | | | | | | | | | | | | | | | | |
| | | <p>Quantity exempted: E2</p> <p>SAPT: > 60 °C</p> <table border="1"><tr><td>UN number</td><td>UN 1247</td></tr><tr><td>Proper shipping name UN Shipping Name:</td><td>METHYLMETHACRYLAT, MONOMER, STABILISIERT</td></tr><tr><td>Transport hazard classes:</td><td>3</td></tr><tr><td>Packing group</td><td>II</td></tr><tr><td>Hazard label:</td><td>3 </td></tr><tr><td>Classification Code:</td><td>F1</td></tr><tr><td>Limited Quantity (LQ):</td><td>1 L</td></tr></table> | UN number | UN 1247 | Proper shipping name UN Shipping Name: | METHYLMETHACRYLAT, MONOMER, STABILISIERT | Transport hazard classes: | 3 | Packing group | II | Hazard label: | 3  | Classification Code: | F1 | Limited Quantity (LQ): | 1 L | | | | | | |
| UN number | UN 1247 | | | | | | | | | | | | | | | | | | | | | |
| Proper shipping name UN Shipping Name: | METHYLMETHACRYLAT, MONOMER, STABILISIERT | | | | | | | | | | | | | | | | | | | | | |
| Transport hazard classes: | 3 | | | | | | | | | | | | | | | | | | | | | |
| Packing group | II | | | | | | | | | | | | | | | | | | | | | |
| Hazard label: | 3  | | | | | | | | | | | | | | | | | | | | | |
| Classification Code: | F1 | | | | | | | | | | | | | | | | | | | | | |
| Limited Quantity (LQ): | 1 L | | | | | | | | | | | | | | | | | | | | | |
| 14.3 | RID | There is no information available. | | | | | | | | | | | | | | | | | | | | |
| | | <table border="1"><tr><td>UN number</td><td>UN 1247</td></tr><tr><td>Proper shipping name UN Shipping Name:</td><td>METHYLMETHACRYLAT, MONOMER, STABILISIERT</td></tr><tr><td>Transport hazard classes:</td><td>3</td></tr><tr><td>Packing group</td><td>II</td></tr><tr><td>Hazard label:</td><td>3 </td></tr><tr><td>Classification Code:</td><td>F1</td></tr><tr><td>Limited Quantity (LQ):</td><td>1 L</td></tr><tr><td>Transport category:</td><td>2</td></tr><tr><td>Hazard number:</td><td>339</td></tr><tr><td>Tunnel Restriction Code:</td><td>D/E</td></tr></table> | UN number | UN 1247 | Proper shipping name UN Shipping Name: | METHYLMETHACRYLAT, MONOMER, STABILISIERT | Transport hazard classes: | 3 | Packing group | II | Hazard label: | 3  | Classification Code: | F1 | Limited Quantity (LQ): | 1 L | Transport category: | 2 | Hazard number: | 339 | Tunnel Restriction Code: | D/E |
| UN number | UN 1247 | | | | | | | | | | | | | | | | | | | | | |
| Proper shipping name UN Shipping Name: | METHYLMETHACRYLAT, MONOMER, STABILISIERT | | | | | | | | | | | | | | | | | | | | | |
| Transport hazard classes: | 3 | | | | | | | | | | | | | | | | | | | | | |
| Packing group | II | | | | | | | | | | | | | | | | | | | | | |
| Hazard label: | 3  | | | | | | | | | | | | | | | | | | | | | |
| Classification Code: | F1 | | | | | | | | | | | | | | | | | | | | | |
| Limited Quantity (LQ): | 1 L | | | | | | | | | | | | | | | | | | | | | |
| Transport category: | 2 | | | | | | | | | | | | | | | | | | | | | |
| Hazard number: | 339 | | | | | | | | | | | | | | | | | | | | | |
| Tunnel Restriction Code: | D/E | | | | | | | | | | | | | | | | | | | | | |
| 14.4 | IMDG | Other relevant information for sea transport | | | | | | | | | | | | | | | | | | | | |
| | | <p>Exempted quantity: E2</p> | | | | | | | | | | | | | | | | | | | | |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878







Steady-Resin S + M Monomer

Article no.: No. 98115

Revised on: 15.05.2023

Version: 4.0 Replaced version:3.0



| | | | | | | | | | | | | | | | | | | | | | | |
|--|--|---|-----------|---------|--|--|---------------------------|---|---------------|----|---------------|---|------------------------|-----|--|-----|------------------------------------|----------|-----------------------------------|-----|--------------------------------|------|
| | | <p>SAPT: > 60 °C</p> <table border="1"> <tr> <td>UN number</td> <td>UN 1247</td> </tr> <tr> <td>Proper shipping name UN Shipping Name:</td> <td>METHYL METHACRYLATE, MONOMER, STABILIZED</td> </tr> <tr> <td>Transport hazard classes:</td> <td>3</td> </tr> <tr> <td>Packing group</td> <td>II</td> </tr> <tr> <td>Hazard label:</td> <td>3 </td> </tr> <tr> <td>Special provisions:</td> <td>-</td> </tr> <tr> <td>Limited Quantity (LQ):</td> <td>1 L</td> </tr> <tr> <td>EmS:</td> <td>F-E, S-D</td> </tr> </table> | UN number | UN 1247 | Proper shipping name UN Shipping Name: | METHYL METHACRYLATE, MONOMER, STABILIZED | Transport hazard classes: | 3 | Packing group | II | Hazard label: | 3  | Special provisions: | - | Limited Quantity (LQ): | 1 L | EmS: | F-E, S-D | | | | |
| UN number | UN 1247 | | | | | | | | | | | | | | | | | | | | | |
| Proper shipping name UN Shipping Name: | METHYL METHACRYLATE, MONOMER, STABILIZED | | | | | | | | | | | | | | | | | | | | | |
| Transport hazard classes: | 3 | | | | | | | | | | | | | | | | | | | | | |
| Packing group | II | | | | | | | | | | | | | | | | | | | | | |
| Hazard label: | 3  | | | | | | | | | | | | | | | | | | | | | |
| Special provisions: | - | | | | | | | | | | | | | | | | | | | | | |
| Limited Quantity (LQ): | 1 L | | | | | | | | | | | | | | | | | | | | | |
| EmS: | F-E, S-D | | | | | | | | | | | | | | | | | | | | | |
| 14.5 | ICAO | <p>Other relevant information on air transport</p> <p>Exempted quantity: E2</p> <p>Passenger LQ: Y341</p> <p>SAPT: > 60 °C</p> <table border="1"> <tr> <td>UN number</td> <td>UN 1247</td> </tr> <tr> <td>Proper shipping name UN Shipping Name:</td> <td>METHYL METHACRYLATE, MONOMER, STABILIZED</td> </tr> <tr> <td>Transport hazard classes:</td> <td>3</td> </tr> <tr> <td>Packing group</td> <td>II</td> </tr> <tr> <td>Hazard label:</td> <td>3 </td> </tr> <tr> <td>Limited Quantity (LQ):</td> <td>1 L</td> </tr> <tr> <td>IATA Packing Instructions - Passenger:</td> <td>353</td> </tr> <tr> <td>IATA Maximum Quantity - Passenger:</td> <td>5 L</td> </tr> <tr> <td>IATA packing instruction - Cargo:</td> <td>364</td> </tr> <tr> <td>IATA Maximum Quantity - Cargo:</td> <td>60 L</td> </tr> </table> | UN number | UN 1247 | Proper shipping name UN Shipping Name: | METHYL METHACRYLATE, MONOMER, STABILIZED | Transport hazard classes: | 3 | Packing group | II | Hazard label: | 3  | Limited Quantity (LQ): | 1 L | IATA Packing Instructions - Passenger: | 353 | IATA Maximum Quantity - Passenger: | 5 L | IATA packing instruction - Cargo: | 364 | IATA Maximum Quantity - Cargo: | 60 L |
| UN number | UN 1247 | | | | | | | | | | | | | | | | | | | | | |
| Proper shipping name UN Shipping Name: | METHYL METHACRYLATE, MONOMER, STABILIZED | | | | | | | | | | | | | | | | | | | | | |
| Transport hazard classes: | 3 | | | | | | | | | | | | | | | | | | | | | |
| Packing group | II | | | | | | | | | | | | | | | | | | | | | |
| Hazard label: | 3  | | | | | | | | | | | | | | | | | | | | | |
| Limited Quantity (LQ): | 1 L | | | | | | | | | | | | | | | | | | | | | |
| IATA Packing Instructions - Passenger: | 353 | | | | | | | | | | | | | | | | | | | | | |
| IATA Maximum Quantity - Passenger: | 5 L | | | | | | | | | | | | | | | | | | | | | |
| IATA packing instruction - Cargo: | 364 | | | | | | | | | | | | | | | | | | | | | |
| IATA Maximum Quantity - Cargo: | 60 L | | | | | | | | | | | | | | | | | | | | | |
| 14.6 | Special precautions for the user: | There is no information available. | | | | | | | | | | | | | | | | | | | | |
| 14.7 | Carriage in bulk in accordance with Annex II of the MARPOL Convention and the IBC Code: | Not applicable. | | | | | | | | | | | | | | | | | | | | |

SECTION 15: Legislation

| | | |
|------|--|------------------------------------|
| 15.1 | Safety, health and environmental regulations/specific legislation for the substance or mixture: | |
| | EU regulations | |
| | Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled substances: | There is no information available. |
| | Regulation (EU) 2019/1021 on persistent organic pollutants (new edition), as amended: | There is no information available. |
| | Regulation (EC) No 649/2012 on the export and import of dangerous chemicals: | There is no information available. |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Monomer

Article no.: No. 98115

Revised on: 15.05.2023

Version: 4.0 Replaced version:3.0



| | | |
|------|--|---|
| | Regulation (EC) No 1907/2006, REACH Annex XIV List of substances subject to authorisation, as amended: | There is no information available. |
| | EU. REACH Candidate List of Substances of Very High Concern (SVHC) for authorisation: | There is no information available. |
| | Regulation (EC) No 1907/2006 Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles : | There is no information available. |
| | Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work...: | There is no information available. |
| | Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding: | There is no information available. |
| | Directive 2012/18/EU (Seveso III) on the control of major-accident hazards involving dangerous substances: | P5c FLAMMABLE LIQUIDS |
| | REGULATION (EC) No 166/2006 concerning the establishment of a European Pollutant Release and Transfer Register, ANNEX II: Pollutants | There is no information available. |
| | Directive 98/24/EU on the protection of workers from the risks related to chemical agents at work: | There is no information available. |
| | National regulations | |
| | Water hazard class | 2 - clearly hazardous to water |
| | Reference to Technical Rules for Hazardous Substances (TRGS) | There is no information available. |
| | VOC Directive (1999/13/EC) and the Decopaint Directive (2004/42/EC) | There is no information available. |
| | Other regulations | Information on IE Directive 2010/75/EU (VOC): 90 % (846 g/l) Information on VOC Directive 2004/42/EC: 90 % (846 g/l) Employment restriction: Observe employment restrictions for young people (§ 22 JArbSchG) Status: Classification of mixtures according to anlage 1, Nr. 5 AwSV Skin absorption / sensitization: Triggers hypersensitivity reactions of allergic type. |
| 15.2 | Chemical safety assessment | Chemical safety assessments for substances in this mixture have not been performed. |

SECTION 16: Other information

| | | |
|------|-----------------------------|---------------|
| 16.1 | Information on the revision | Not relevant. |
|------|-----------------------------|---------------|

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Monomer

Article no.: No. 98115

Revised on: 15.05.2023

Version: 4.0 Replaced version:3.0



| | |
|--|--|
| Important literature references and data sources: | <p>Abbreviations and acronyms ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)</p> <p>IMDG: International Maritime Code for Dangerous Goods</p> <p>IATA: International Air Transport Association</p> <p>GHS: Globally Harmonized System of Classification and Labelling of Chemicals</p> <p>EINECS: European Inventory of Existing Commercial Chemical Substances</p> <p>ELINCS: European List of Notified Chemical Substances</p> <p>CAS: Chemical Abstracts Service</p> <p>LC50: Lethal concentration, 50</p> <p>LD50: Lethal dose, 50</p> <p>Classification of mixtures and assessment method used according to Regulation (EC) No 1272/2008 [CLP].</p> <p>Classification Classification method</p> <p>Flam. Liq. 2; H225 Based on test data</p> <p>Skin Irrit. 2; H315 Calculation method</p> <p>Skin Sens. 1; H317 Calculation method</p> <p>STOT SE 3; H335 Calculation method</p> <p>Wording of H and EUH phrases (number and full text)</p> <p>H225 Highly flammable liquid and vapor.</p> <p>H315 Causes skin irritation.</p> <p>H317 May cause allergic skin reactions.</p> <p>H335 May cause respiratory irritation</p> |
| Training information: | There are no data available. |
| Disclaimer: | <p>More information</p> <p>To the best of our knowledge, the information in this safety data sheet corresponds to our knowledge at the time of revision. The information is intended to provide guidance on the safe handling of the product specified in this safety data sheet during storage, processing,</p> |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Monomer

Article no.: No. 98115

Revised on: 15.05.2023

Version: 4.0 Replaced version:3.0



| | | |
|--|--|--|
| | | transportation and disposal. The information is not transferable to other products. Insofar as the product named in this safety data sheet is mixed, blended or processed with other materials, or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material thus produced, unless expressly stated otherwise. |
|--|--|--|

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Polymer
Article no.: No. 98116

Revised on: 15.05.2023
Version: 4.0 Replaced version: 3.0



SECTION 1: Identification of the substance or mixture and of the company/undertaking

| | | |
|-------|--|--|
| 1.1 | Product identifier | Steady-Resin S + M Polymer Article no.: 98116 |
| 1.2 | Relevant identified uses of the substance or mixture and uses which are not recommended | |
| 1.2.1 | Relevant uses medical device: | Orthodontic resin, autopolymer, powder components of the 2-component acrylic resin system for the production of orthodontic appliances |
| 1.2.2 | Uses that are not recommended: | None known |
| 1.3 | Details of the supplier providing the safety data sheet | Dr. Hinz Dental Vertriebsgesellschaft mbH & Co. KG Friedrich der Große 64 44628 Herne GERMANY Phone: + 49 (0) 23 23 / 59 34 20 Fax : + 49 (0) 23 23 / 59 34 29 E-Mail: qm@dhug.de |
| 1.4 | Emergency number | Contact: Dr. P. Hinz Phone: + 49 17 51 83 41 34 |

SECTION 2: Possible dangers

| | | |
|-------|--|---|
| 2.1 | Classification of the substance or mixture Hazard Categories: Hazardous to the aquatic environment: Aqu. Chron. 3 Hazard statements: Harmful to aquatic organisms, with long lasting effects. | |
| 2.1.1 | Classification according to (EC) Regulation 1272/2008 as amended. Hazard statements H412 Harmful to aquatic life with long lasting effects. | |
| 2.2 | Labelling elements Additional information: | Safety advice P273 Avoid release to the environment. P501 Dispose of contents/container as hazardous waste to appropriate licensed combustible organic waste incinerator in accordance with local and national legislation. Dispose of to appropriate approved incinerator for combustible organic waste. Special labelling of certain mixtures EUH208 Contains dibenzoyl peroxide; benzoyl peroxide. May cause allergic reaction |
| 2.3 | Other dangers | Contains methyl methacrylate, dibenzoyl peroxide. May cause allergic reactions. |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Polymer
Article no.: No. 98116

Revised on: 15.05.2023
Version: 4.0 Replaced version: 3.0



SECTION 3: Composition / Information on ingredients

| | | |
|-------|----------------------------------|---|
| 3.1 | Chemical characterisation | Mixture based on polymethyl methacrylates and catalyst |
| 3.1.1 | Dangerous ingredients | CAS No. 9011-14-7 Designation: acrylic polymer Proportion: 95 - <= 100 % CAS No. 94-36-0 Designation :dibenzoyl peroxide; benzoyl peroxide EC No. 202-327-6 Reach No. 01-2119511472-50 GHS Classification Org. Perox. B, Eye Irrit. 2, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H241 H319 H317 H400 H410 Proportion: < 1 % Wording of H- and EUH-phrases: see section 16 |

Section 4: First aid measures

| | | |
|-----|---|--|
| 4.1 | Description of the first aid measures | |
| | General notes | First aider must protect himself. Remove the affected person from the danger zone. If you feel unwell, seek medical advice |
| | Inhalation: | Provide fresh air. |
| | Eye contact: | Wash off with plenty of water. Remove contaminated clothing and wash before wearing again. wash before wearing again. |
| | Skin contact: | Immediately rinse carefully and thoroughly with eye wash or with water. |
| | Ingestion: | Rinse mouth immediately and drink plenty of water. |
| 4.2 | Most important symptoms and effects, both acute and delayed: | There is no information available. |
| 4.3 | Indications for immediate medical help or special treatment | |
| | Dangers: | There is no information available. |
| | Treatment: | Symptomatic treatment. |

SECTION 5: Fire-fighting measures

| | | |
|-----|---|---|
| 5.1 | General fire hazards | Use water spray to protect personnel and to cool containers in the hazardous area. |
| | Extinguishing agent Suitable extinguishing media | Adapt extinguishing measures to the surroundings. Foam, extinguishing powder, carbon dioxide |
| | Unsuitable extinguishing media: | Water in full jet |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Polymer
Article no.: No. 98116

Revised on: 15.05.2023
Version: 4.0 Replaced version: 3.0



| | | |
|-----|---|--|
| 5.2 | Special hazards arising from the substance or mixture: | In case of fire, the following can be released: Carbon monoxide, carbon dioxide, organic decomposition products. |
| 5.3 | Advice for firefighters Advice for firefighters: | In case of fire: Wear self-contained breathing apparatus. |
| | Special protective equipment for fire fighting: | Collect contaminated extinguishing water separately. Do not allow to enter drains or bodies of water. |

SECTION 6: Accidental release measures

| | | |
|-----|---|--|
| 6.1 | Personal precautions, protective equipment and emergency procedures: | Avoid dust formation. Do not inhale dust. |
| 6.2 | Environmental protection measures: | Do not allow to enter drains or water courses |
| 6.3 | Methods and material for retention and cleaning: | Pick up mechanically. Treat the picked up material according to section Disposal. |
| 6.4 | Reference to other sections: | Safe handling: see section 7 Personal protective equipment: see section 8 Disposal: see section 13 |

Section 7: Handling and storage:

| | | |
|-----|---|--|
| 7.1 | Protective measures for safe handling: | No special precautions required. |
| | Notes on fire and explosion protection: | No special fire protection measures required. |
| 7.2 | Conditions for safe storage taking into account incompatibilities: | Requirements for storage rooms and containers Keep containers tightly closed |
| | Storage stability: | No special precautions required |
| | Storage class: | Lager class according to TRGS 510: 11 (Combustible solids that cannot be assigned to any of the above LGK) |
| 7.3 | Specific end uses: | Production of dental products |

SECTION 8: Exposure controls/personal protective equipment

| | | |
|-----|--|--|
| 8.1 | Parameters to be monitored Occupational exposure limit values | Occupational exposure limits (TRGS 900) CAS No. 94-36-0 Designation: Dibenzoyl peroxide mg/m ³ : 5 E Peak limit 1 (l) |
|-----|--|--|

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Polymer
Article no.: No. 98116

Revised on: 15.05.2023
 Version: 4.0 Replaced version: 3.0



| | | |
|-----|--|---|
| | Biological limit values | none |
| 8.2 | Exposure controls Suitable engineering controls: | none |
| | Individual protective measures, for example personal protective equipment | |
| | General information: | not required |
| | Eye/face protection: | Wear eye/face protection. |
| | Skin protection Hand protection: | Material: Protective gloves against mechanical risks according to EN 388. Additional information: Protective gloves should be changed regularly, especially after intensive contact with the product. Gloves must be removed and replaced when they show signs of wear or chemical breakage. chemical leakage. An appropriate type of glove must be selected for each workplace. Please Follow the glove supplier's instructions for permeability and breakthrough time. Also the specific, conditions under which the product will be used, such as cut hazard, abrasion and contact time. contact duration. |
| | Other: | Wear suitable protective clothing when working. |
| | Respiratory protection: | A suitable dust mask or respirator with filter type P1 or FFP1 (EN143 or EN149) may be suitable. In the unlikely event of the formation of particularly high quantities of dust, a self-contained breathing apparatus may be suitable. may be suitable. |
| | Hygiene measures: | Remove contaminated clothing. Wash hands before breaks and at the end of work. Do not eat or drink while drink. |
| | Limitation and monitoring of environmental exposure: | not required |

SECTION 9: Physical and chemical properties

| | |
|-----|---|
| 9.1 | Information on the basic physical and chemical properties |
|-----|---|

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Polymer
Article no.: No. 98116

Revised on: 15.05.2023
Version: 4.0 Replaced version: 3.0



| Parameter | Value |
|---|--|
| State of aggregation | Powder |
| Colour | white |
| Smell | characteristic |
| Melting point/freezing point | ca. 110 °C |
| Boiling point or initial boiling point and boiling range | Not determined |
| Flammability | Not determined |
| Lower explosion limit upper explosion limit | Not determined |
| Flash point | > 250 °C |
| Ignition temperature | > 400 °C |
| Decomposition temperature | Not determined |
| pH value | Not determined |
| Kinematic viscosity | Not determined |
| Solubility | No test required as the substance is known to be insoluble in water. Solubility in other solvents: soluble in hydrocarbons. |
| Partition coefficient n-octanol/water (log value) | Not determined |
| Vapour pressure | Not determined |
| Density and/or specific gravity | 1,16 g/cm ³ |
| Relative vapour density | Not determined |
| Particle properties | Not determined |
| 9.2. Other information Oxidizing properties: not oxidizing Bulk density: (at 20 °C) 700 - 750 kg/m ³ | |

SECTION 10: Stability and reactivity

| | | |
|------|---|--|
| 10.1 | Reactivity | No hazardous reactions will occur if handled and stored as directed. |
| 10.2 | Chemical stability | The product is stable when stored at normal ambient temperatures. |
| 10.3 | Possibility of hazardous reactions | No dangerous reactions are known |
| 10.4 | Conditions to avoid | keine/keiner |
| 10.5 | Incompatible materials | There is no information available. |
| 10.6 | Decomposition products | Exothermic decomposition with formation of: Methyl methacrylate |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Polymer
Article no.: No. 98116

Revised on: 15.05.2023
Version: 4.0 Replaced version: 3.0



SECTION 11: Toxicological data

| | | |
|-------------------|---|--|
| 11.1 | Information on hazard classes within the meaning of Regulation (EC) No 1272/2008 | |
| | acute toxicity | The product has not been toxicologically tested. |
| | Corrosive/irritant effect on the skin | Based on available data, the classification criteria are not met. |
| | Serious eye damage/irritation | Based on available data, the classification criteria are not met. |
| | Sensitisation of the respiratory tract/skin | Contains dibenzoyl peroxide; benzene peroxide. May cause allergic reactions. |
| | Germ cell mutagenicity | Based on available data, the classification criteria are not met. |
| | Carcinogenicity | Based on available data, the classification criteria are not met. |
| | Reproductive toxicity | Based on available data, the classification criteria are not met. |
| | Specific target organ toxicity at single exposure | Based on available data, the classification criteria are not met. |
| | Specific target organ toxicity in case of repeated exposure | Based on available data, the classification criteria are not met. |
| Aspiration hazard | Based on available data, the classification criteria are not met. | |
| 11.2 | Information on other hazards | |
| | Based on available data, the classification criteria are not met. | |
| 11.2.1 | Endocrine disrupting properties | |
| | Based on available data, the classification criteria are not met. | |
| 11.2.2 | Other information | |
| | The mixture is classified as non-hazardous according to Directive 1999/45/EC. | |

SECTION 12. Environmental information

| | | |
|------|---|----------------------------------|
| 12.1 | Toxicity | The product is not: Ecotoxic |
| 12.2 | Persistence and degradability | The product has not been tested. |
| 12.3 | Bioaccumulative potential | The product has not been tested. |
| 12.4 | Mobility in soil | The product has not been tested. |
| 12.5 | Results of the PBT and vPvB assessment | The product has not been tested. |
| 12.6 | Endocrine disrupting properties | The product has not been tested. |
| 12.7 | Other adverse effects | The product has not been tested. |

SECTION 13: Disposal instructions

| | | |
|------|--------------------------------|--|
| 13.1 | Waste treatment process | |
| | General information | Do not allow to enter drains or water courses. Dispose of in accordance with official regulations. |
| | Disposal methods | Wash off with plenty of water. Completely emptied packaging can be sent for recycling. |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Polymer
Article no.: No. 98116

Revised on: 15.05.2023
Version: 4.0 Replaced version: 3.0



SECTION 14: Transport information

| | | |
|------|---|---|
| 14.1 | ADR | Not a hazardous material as defined by these transport regulations. |
| 14.2 | ADN | Not a hazardous material as defined by these transport regulations. |
| 14.3 | RID | Not a hazardous material as defined by these transport regulations. |
| 14.4 | IMDG | No information available. Hazardous to the environment: n |
| 14.5 | IATA | Not a hazardous material as defined by these transport regulations. |
| 14.6 | Special precautions for the user: | Not a hazardous material as defined by these transport regulations. |
| 14.7 | Carriage in bulk in accordance with Annex II of the MARPOL Convention and the IBC Code: | Not applicable. |

SECTION 15: Legislation

| | | |
|------|--|------|
| 15.1 | Safety, health and environmental regulations/specific legislation for the substance or mixture: EU regulations | |
| | Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled substances: | none |
| | Regulation (EU) 2019/1021 on persistent organic pollutants (new edition), as amended: | none |
| | Regulation (EC) No 649/2012 on the export and import of dangerous chemicals: | none |
| | Regulation (EC) No 1907/2006, REACH Annex XIV List of substances subject to authorisation, as amended: | none |
| | EU. REACH Candidate List of Substances of Very High Concern (SVHC) for authorisation: | none |
| | Regulation (EC) No 1907/2006 Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles : | none |
| | Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work...: | none |
| | Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding: | none |
| | Directive 2012/18/EU (Seveso III) on the control of major-accident hazards involving dangerous substances: | none |
| | REGULATION (EC) No 166/2006 concerning the establishment of a European Pollutant Release and Transfer Register, ANNEX II: Pollutants | none |
| | Directive 98/24/EU on the protection of workers from the risks related to chemical agents at work: | none |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Polymer
Article no.: No. 98116

Revised on: 15.05.2023
Version: 4.0 Replaced version: 3.0



| National regulations | |
|---|---|
| Water hazard class | 1 - slightly hazardous to water |
| Reference to Technical Rules for Hazardous Substances (TRGS) | none |
| VOC Directive (1999/13/EC) and the Decopaint Directive (2004/42/EC) | none |
| Other regulations | Employment restrictions Observe employment restrictions for young people (§22 JArbSchG). Observe employment restrictions for expectant and nursing mothers. (§§ 11 and 12 MuSchG). Status: Classification of mixtures according to Annex 1, No. 5 AwSV |
| 15.2 | Chemical safety assessment SSubstance safety assessments for substances in this mixture have not been carried out. |

SECTION 16: Other information

| | | |
|-------------|--|--|
| 16.1 | Information on the revision | Not relevant. |
| | Important literature references and data sources: | Abbreviations and acronyms ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50 LD50: Lethal dose, 50 |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Polymer
Article no.: No. 98116

Revised on: 15.05.2023
Version: 4.0 Replaced version: 3.0



| | |
|------------------------------|---|
| | <p>Classification of mixtures and assessment method used according to Regulation (EC) No 1272/2008 [CLP].</p> <p>Classification Classification method</p> <p>Aquatic Chronic 3; H412 Calculation method</p> <p>Wording of H and EUH phrases (number and full text)</p> <p>H241 Heating may cause fire or explosion.</p> <p>H317 May cause an allergic skin reaction.</p> <p>H319 Causes severe eye irritation.</p> <p>H400 Very toxic to aquatic life.</p> <p>H410 Very toxic to aquatic life with long lasting effects.</p> <p>H412 Harmful to aquatic life with long lasting effects.</p> <p>EUH208 Contains dibenzoyl peroxide; benzoyl peroxide. May cause allergic reactions</p> <p>Abbreviations and Acronyms</p> |
| Training information: | There are no data available. |
| Disclaimer: | <p>More information</p> <p>To the best of our knowledge, the information in this safety data sheet corresponds to our knowledge at the time of revision. The information is intended to provide guidance on the safe handling of the product specified in this safety data sheet during storage, processing, transportation and disposal. The information is not transferable to other products. Insofar as the product named in this safety data sheet is mixed, blended or processed with other materials, or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material thus produced, unless expressly stated otherwise.</p> |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

IST® bite fork
Article no.: No. 98045

Revised on: 15.05.2023
Version: 4.0 Replaced version: 3.0



SECTION 1: Identification of the substance or mixture and of the company/undertaking

| | | |
|-------|--|--|
| 1.1 | Product identifier | IST® bite fork Article no.: 98045 |
| 1.2 | Relevant identified uses of the substance or mixture and uses which are not recommended | |
| 1.2.1 | Relevant uses medical device: | Medical device |
| 1.2.2 | Uses that are not recommended: | None known |
| 1.3 | Details of the supplier providing the safety data sheet | Dr. Hinz Dental Vertriebsgesellschaft mbH & Co. KG Friedrich der Große 64 44628 Herne GERMANY Phone: + 49 (0) 23 23 / 59 34 20 Fax : + 49 (0) 23 23 / 59 34 29 E-Mail: qm@dhug.de |
| 1.4 | Emergency number | Contact: Dr. P. Hinz Phone: + 49 17 51 83 41 34 |

SECTION 2: Possible dangers

| | | |
|-------|--|---|
| 2.1 | Classification of the substance or mixture | This substance does not meet the criteria for classification according to Regulation No. 1272/2008/EC. |
| 2.1.1 | Classification according to (EC) Regulation 1272/2008 as amended. | not required |
| 2.2 | Labelling elements Additional information: | No additional information is available. |
| 2.3 | Other dangers | Dust. May be irritating to skin, eyes and respiratory system. If dust is formed (fine dust): May form explosive dust-air mixture if dispersed. Molten product may cause severe burns. Ingestion may cause gastrointestinal upset and pain in the gastrointestinal tract. This substance does not meet the PBT-NPvB criteria of REACH, Annex XIII. |

SECTION 3: Composition / Information on ingredients

| | | |
|-----|----------------------------------|---|
| 3.1 | Chemical characterisation | Polystyrene mixture contains: CAS No. 9003-55-8: Styrene-Butadiene Copolymer |
|-----|----------------------------------|---|

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

IST® bite fork
Article no.: No. 98045

Revised on: 15.05.2023
Version: 4.0 Replaced version: 3.0



| | | |
|-------|------------------------------|---|
| 3.1.1 | Dangerous ingredients | The product does not contain any hazardous substances in quantities that are required by applicable law to be mentioned in this section |
|-------|------------------------------|---|

Section 4: First aid measures

| | | |
|-----|---|--|
| 4.1 | Description of the first aid measures | |
| | General notes | No special measures are required |
| | Inhalation: | Provide fresh air. Put affected person in resting position and keep warm. Consult a doctor |
| | Eye contact: | Immediately rinse with running water for 10 to 15 minutes with the eyelids open. Remove any contact lenses if possible. Continue rinsing. Consult an ophthalmologist in case of irritation |
| | Skin contact: | The melted product may cause severe burns. Do not remove product from skin without medical attention. After contact with the melted product, cool the affected skin area quickly with water. |
| | Ingestion: | Rinse mouth with water About one to two glasses of water limp. Never administer anything by mouth to an unconscious person. Call a doctor |
| 4.2 | Most important symptoms and effects, both acute and delayed: | Dust. Skin irritation, eye irritation and redness. |
| 4.3 | Indications for immediate medical help or special treatment | |
| | Dangers: | There is no information available |
| | Treatment: | Symptomatic treatment. Decontamination. Vital signs |

SECTION 5: Fire-fighting measures

| | | |
|-----|---|---|
| 5.1 | General fire hazards | Use water spray to protect personnel and to cool containers in the hazardous area |
| | Extinguishing agent Suitable extinguishing media | Water spray, foam, dry powder, carbon dioxide (CO2) |
| | Unsuitable extinguishing media: | Water in full jet |
| 5.2 | Special hazards arising from the substance or mixture: | In the event of fire, the following can be produced: Smoke, carbon monoxide and carbon dioxide (CO2). In case of dusting (fine dust) Can form an explosive dust-LuR mixture in case of dispers on. |
| 5.3 | Advice for firefighters Advice for firefighters: | Wear environmental self-contained breathing apparatus and chemical protective suit |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

IST® bite fork
Article no.: No. 98045

Revised on: 15.05.2023
Version: 4.0 Replaced version: 3.0



| | |
|--|---|
| Special protective equipment for fire fighting: | Prevent extinguishing water from entering surface waters or groundwater. Fire residues and contaminated extinguishing water must be disposed of in accordance with local regulations. |
|--|---|

SECTION 6: Accidental release measures

| | | |
|------------|---|--|
| 6.1 | Personal precautions, protective equipment and emergency procedures: | Wear personal protective equipment. Do not inhale dust. |
| 6.2 | Environmental protection measures: | Prevent penetration into soil, water or canahsation. |
| 6.3 | Methods and material for retention and cleaning: | Collect mechanically. In closed containers and take for disposal. dispose of Avoid generation of dust Remove all sources of ignition Ensure adequate ventilation. Special risk of slipping due to spilled product |
| 6.4 | Reference to other sections: | See supplementary paragraphs 8 and 13. |

Section 7: Handling and storage:

| | | |
|------------|---|--|
| 7.1 | Protective measures for safe handling: | Ensure good ventilation of store and workplace. Do not inhale dust. Extraction required if dust is generated. Molten product. Avoid substance contact |
| | Notes on fire and explosion protection: | Take measures against electrostatic charges Keep away from ignition sources. Use grounding devices Use explosion-proof equipment and spark milling tools Avoid OKene flames. In case of dust formation (fine dust) Dust explosion hazard. |
| 7.2 | Conditions for safe storage taking into account incompatibilities: | Store in a well-ventilated place Keep container tightly closed. Protect from heat/sunlight |
| | Storage stability: | Store in a well-ventilated place Keep container tightly closed. Protect from heat/sunlight |
| | Storage class: | 11 = Combustible solids |
| 7.3 | Specific end uses: | There are no Informabonen available. |

SECTION 8: Exposure controls/personal protective equipment

| | | |
|------------|--|--|
| 8.1 | Parameters to be monitored Occupational exposure limit values | CAS-Nr. Bezeichnung: Styrolux® Typ: Deutschland: AGW Kurzzeit :Grenzwert: 2,5 mg/m' Typ: Deutschland: AGW Kurzzeit :Grenzwert: 20 mg/ m Typ: Deutschland: AGW Langzeit :Grenzwert: 1,25 mg/m |
|------------|--|--|

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

IST® bite fork
Article no.: No. 98045

Revised on: 15.05.2023
 Version: 4.0 Replaced version: 3.0



| | | |
|------------|--|---|
| | | <p>Typ: Deutschland: AGW Langzeit :Grenzwert: 10 mg/m Typ: Deutschland: DFG Kurzzeit :Grenzwert: 2,4 mg/m Type: Germany: DFG Long-term :Grenzwert: 0.3 mg/m Type: Germany: DFG Long-term :Grenzwert: 4 mg/m CAS No. 100-42-5 Identification: Styrene Type: Germany: AGW Short-term Grenzwert: 172 mg/m'; 40 ppm Type: Germany: AGW Long-term : Grenzwert: 86 mg/m'; 20 ppm</p> |
| | Biological limit values | <p>CAS No. 100-42-5 Designation: Styrene Germany: TRGS 903 /Urin Limit values: 600 mg/g Creatinine Parameter: Mandelic acid + phenylglyoxylic acid Sampling: for long-term exposure End of exposure or shift</p> |
| 8.2 | Exposure controls Suitable engineering controls: | <p>Provide good ventilation in the workplace. Additional controls are not normally required when handling polymers. Thermal extrusion Ensure that the occupational exposure limit (OEL) is not exceeded by using local exhaust ventilation. The use of respiratory protection may be required during maintenance work.</p> |
| | Individual protective measures, for example personal protective equipment | |
| | General information: | If the occupational exposure limits (OEL) are exceeded, a respirator must be worn. Use filter type A-P2 according to EN 14387. |
| | Eye/face protection: | Tight-fitting safety goggles according to EN 166. |
| | Skin protection Hand protection: | <p>Protective gloves according to EN 374. Protective gloves made of fabric or leather.</p> <p>When melting: Heat-resistant protective gloves according to EN 407. Glove material: leather.</p> <p>The specifications of the manufacturer of the protective gloves regarding permeability and breakthrough times must be observed.</p> |
| | Other: | <p>The product contains very small amounts of residual monomers and process chemicals (styrene, ethylbenzene and butadiene) together with possible decomposition products that may be</p> <p>may be formed during thermal processes. Since the identity and content of these constituents depends on the process conditions (temperature, etc.), it is the responsibility of the user to determine appropriate protective or safety measures.</p> |
| | Respiratory protection: | If the occupational exposure limits (OEL) are exceeded, a respirator must be worn. Use filter type A-P2 according to EN 14387. |
| | Hygiene measures: | <p>Molten product: Avoid contact with skin Do not inhale dusts and vapors. Keep away from sources of ignition Wash hands before breaks and at end of work.</p> <p>In case of dust formation: Particular risk of slipping if spread on the floor see Chapter 7. No measures beyond these are required.</p> |
| | Limitation and monitoring of environmental exposure: | |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

IST® bite fork
Article no.: No. 98045

Revised on: 15.05.2023
Version: 4.0 Replaced version: 3.0



SECTION 9: Physical and chemical properties

| | | |
|-------------------------|--|--|
| 9.1 | Information on the basic physical and chemical properties | |
| | Parameter | Value |
| | State of aggregation | solid, granules |
| | Colour | colorless, clear |
| | Smell | weak, characteristic |
| | Melting point/freezing point | 30 °C (DIN EN ISO 306) |
| | Boiling point or initial boiling point and boiling range | No data available |
| | Flammability | No data available |
| | Lower explosion limit upper explosion limit | In case of dust formation (fine dust). In case of dispersion may form explosive dust-air mixture |
| | Flash point | No data available |
| | Ignition temperature | No data available |
| | Decomposition temperature | ca. 300 °C |
| | pH value | No data available |
| | Kinematic viscosity | No data available |
| | Solubility | insoluble |
| | Partition coefficient n-octanol/water (log value) | No data available |
| | Vapour pressure | No data available |
| | Density and/or specific gravity | at 20°C: approx. 1.05 g/an' (DIN 53479) |
| Relative vapour density | No data available | |
| Particle properties | No data available | |
| 9.2. | Other information Bulk density at 20 °C: approx. 640 kg/m' (DIN 53466) | |

SECTION 10: Stability and reactivity

| | | |
|-------------|---|--|
| 10.1 | Reactivity | see 10.3 |
| 10.2 | Chemical stability | Stable under specified storage conditions. |
| 10.3 | Possibility of hazardous reactions | In case of dust formation (fine dust): May form explosive dust-air mixture if dispersed. |
| 10.4 | Conditions to avoid | Keep away from open flames, hot surfaces and sources of ignition. Avoid dust formation. |
| 10.5 | Incompatible materials | Strong oxidizing agents |
| 10.6 | Decomposition products | Hazardous decomposition products may be released during severe material overheating: Hydrogen cyanide, monomers, hydrocarbons, gases/vapors, cyclic low molecular weight oligomers, carbon monoxide and carbon dioxide. Them decomposition. approx. 300 °C |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

IST® bite fork
Article no.: No. 98045

Revised on: 15.05.2023
Version: 4.0 Replaced version: 3.0



SECTION 11: Toxicological data

| | | |
|--------|---|---|
| 11.1 | Information on hazard classes within the meaning of Regulation (EC) No 1272/2008 | |
| | acute toxicity | The statements are derived from the properties of the individual components. No toxicological data are available for the product as such. |
| | Corrosive/irritant effect on the skin | Missing data not expected |
| | Serious eye damage/irritation | Based on available data, the classification criteria are not met |
| | Sensitisation of the respiratory tract/skin | Based on available data, the classification criteria are not met |
| | Germ cell mutagenicity | Based on available data, the classification criteria are not met |
| | Carcinogenicity | Based on available data, the classification criteria are not met |
| | Reproductive toxicity | Based on available data, the classification criteria are not met |
| | Specific target organ toxicity at single exposure | Based on available data, the classification criteria are not met |
| | Specific target organ toxicity in case of repeated exposure | Based on available data, the classification criteria are not met |
| | Aspiration hazard | Based on available data, the classification criteria are not met |
| 11.2 | Information on other hazards | |
| | Based on available data, the classification criteria are not met | |
| 11.2.1 | Endocrine disrupting properties | |
| | Based on available data, the classification criteria are not met | |
| 11.2.2 | Other information | |
| | According to many years of experience, no adverse effects are known if the product is handled properly. | |
| | effects are known. Dust: May be irritating to skin, eyes and respiratory system. | |
| | Molten product may cause severe burns. | |
| | Thermal treatment, processing: Irritating to eyes, respiratory system and skin After ingestion: | |
| | Ingestion may cause gastrointestinal upset and pain in the stomach and intestines. | |

SECTION 12. Environmental information

| | | |
|------|--------------------------------------|--|
| 12.1 | Toxicity | No indications of aquatic toxicity |
| 12.2 | Persistence and degradability | Biodegradation: The product is not readily biodegradable The product is likely to be persistent in the environment. It can be mechanically separated in sewage treatment plants. |
| | | 12.3 Bioaccumulative potential |
| 12.3 | Bioaccumulative potential | To avoid bioaccumulation, plastics should not be disposed of in the sea or other bodies of water. |
| 12.4 | Mobility in soil | No data available |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

IST® bite fork
Article no.: No. 98045

Revised on: 15.05.2023
Version: 4.0 Replaced version: 3.0



| | | |
|------|---|--|
| 12.5 | Results of the PBT and vPvB assessment | This substance does not meet the PBT-NPvB criteria of REACH, Annex XIII. |
| 12.6 | Endocrine disrupting properties | No data available |
| 12.7 | Other adverse effects | Do not allow to enter ground water, bodies of water or drains. |

SECTION 13: Disposal instructions

| | | |
|------|--------------------------------|--|
| 13.1 | Waste treatment process | |
| | General information | Disposal according to Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG). Dispose of to a suitable incineration plant/landfill in accordance with local regulations. Waste code number: 07 02 99 = Waste from MFSU of plastics, synthetic rubber and synthetic fibers MFSU = Manufacture, preparation, distribution and use. |
| | Disposal methods | Dispose of in accordance with official regulations. Non-contaminated and residual empty packaging can be recycled |

SECTION 14: Transport information

| | | |
|------|--|--|
| 14.1 | ADR | not applicable |
| 14.2 | ADN | not applicable |
| 14.3 | RID | No dangerous goods in the sense of these transport regulations |
| 14.4 | IMDG | not applicable |
| 14.5 | IATA | not applicable |
| 14.6 | Special precautions for the user: | No dangerous goods in the sense of these transport regulations |
| 14.7 | Carriage in bulk in accordance with Annex II of the MARPOL Convention and the IBC Code: | Not applicable. |

SECTION 15: Legislation

| | | |
|------|--|------|
| 15.1 | Safety, health and environmental regulations/specific legislation for the substance or mixture: | |
| | EU regulations | |
| | Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled substances: | none |
| | Regulation (EU) 2019/1021 on persistent organic pollutants (new edition), as amended: | none |
| | Regulation (EC) No 649/2012 on the export and import of dangerous chemicals: | none |
| | Regulation (EC) No 1907/2006, REACH Annex XIV List of substances subject to authorisation, as amended: | none |

Safety Data Sheets

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

IST® bite fork
Article no.: No. 98045

Revised on: 15.05.2023
 Version: 4.0 Replaced version: 3.0



| | | |
|-------------|--|---|
| | EU. REACH Candidate List of Substances of Very High Concern (SVHC) for authorisation: | none |
| | Regulation (EC) No 1907/2006 Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles : | none |
| | Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work...: | none |
| | Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding: | none |
| | Directive 2012/18/EU (Seveso III) on the control of major-accident hazards involving dangerous substances: | none |
| | REGULATION (EC) No 166/2006 concerning the establishment of a European Pollutant Release and Transfer Register, ANNEX II: Pollutants | none |
| | Directive 98/24/EU on the protection of workers from the risks related to chemical agents at work: | none |
| | National regulations | |
| | Water hazard class | nwg = not hazardous to water |
| | Reference to Technical Rules for Hazardous Substances (TRGS) | none |
| | VOC Directive (1999/13/EC) and the Decopaint Directive (2004/42/EC) | none |
| | Other regulations | none |
| 15.2 | Chemical safety assessment | No shock safety assessment is required for this substance.. |

SECTION 16: Other information

| | | |
|-------------|--|--|
| 16.1 | Information on the revision | Not relevant. |
| | Important literature references and data sources: | There are no data available. |
| | Training information: | There are no data available. |
| | Disclaimer: | More information To the best of our knowledge, the information in this safety data sheet corresponds to our knowledge at the time of revision. The information is intended to provide guidance on the safe handling of the product specified in this safety data sheet during storage, processing, transportation and disposal. The information is not transferable to other products. Insofar as the product named in this safety data sheet is mixed, blended or processed with other materials, or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material thus produced, unless expressly stated otherwise. |